

Mobile Radio Communications

SECOND EDITION

Second and Third Generation Cellular and WATM Systems

BIBLIOTHEQUE DU CERIST



WILEY

Edited by
Raymond Steele
and **Lajos Hanzo**

Mobile Radio Communications

SECOND EDITION

BIBLIOTHEQUE DU CERIST

Mobile Radio Communications

SECOND EDITION

**Second and Third Generation
Cellular and WATM Systems**

Edited by

Raymond Steele

*Professor of Communications, University of Southampton
Chairman of Multiple Access Communications Ltd, Southampton, UK*

and

Lajos Hanzo

*Professor of Communications, University of Southampton
Consultant to Multiple Access Communications Ltd, Southampton, UK*

JOHN WILEY & SONS, LTD

Chichester • New York • Weinheim • Brisbane • Singapore • Toronto

First published under the title *Mobile Radio Communications* in Great Britain in 1992 by
Pentech Press Limited, London. Copyright © Raymond Steele, 1992

Copyright © 1999 John Wiley & Sons Ltd
Baffins Lane, Chichester,
West Sussex, PO19 1UD, England

National 01243 779777
International (+44) 1243 779777

e-mail (for orders and customer service enquiries): cs-books@wiley.co.uk

Visit our Home Page on <http://www.wiley.co.uk> or <http://www.wiley.com>

Reprinted March 2000

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except under the terms of the Copyright, Designs and Patents Act 1988 or under the terms of a licence issued by the Copyright Licensing Agency, 90 Tottenham Court Road, London W1P 9HE, UK, without the permission in writing of the Publisher.

Other Wiley Editorial Offices

John Wiley & Sons, Inc., 605 Third Avenue,
New York, NY 10158-0012, USA

Wiley-VCH Verlag GmbH, Pappelallee 3,
D-69469 Weinheim, Germany

Jacaranda Wiley Ltd, 33 Park Road, Milton,
Queensland 4064, Australia

John Wiley & Sons (Asia) Pte Ltd, 2 Clementi Loop #02-01,
Jin Xing Distripark, Singapore 129809

John Wiley & Sons (Canada) Ltd, 22 Worcester Road,
Rexdale, Ontario, M9W 1L1, Canada

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

ISBN 0 471 97806 X

Produced from PostScript files supplied by the authors
Printed and bound in Great Britain by Bookcraft Ltd, Midsomer Norton
This book is printed on acid-free paper responsibly manufactured from sustainable
forestry in which at least two trees are planted for each one used for paper production.

Contents

| | |
|---|--------------|
| Preface to the Second Edition | xix |
| Acknowledgements | xxiii |
| Contributors | xxv |
| 1 Introduction to Digital Cellular Radio | 1 |
| 1.1 The Background to Digital Cellular Mobile Radio | 1 |
| 1.2 Mobile Radio Propagation | 3 |
| 1.2.1 Gaussian Channel | 5 |
| 1.2.2 Rayleigh Fading Channel | 5 |
| 1.2.3 Rician Channel | 10 |
| 1.2.4 Wideband Channels | 14 |
| 1.2.4.1 GSM Wideband Channels | 20 |
| 1.2.4.2 The Two-ray Rayleigh Fading Channel . . | 21 |
| 1.2.4.3 Real Channel Impulse Responses | 22 |
| 1.2.5 Path Loss | 22 |
| 1.2.6 Propagation in Microcells for Highways and City Streets | 24 |
| 1.2.6.1 Path Loss | 24 |
| 1.2.6.2 Fading in Street Microcells | 29 |
| 1.2.7 Indoor Radio Propagation | 35 |
| 1.2.7.1 Path Loss | 36 |
| 1.2.7.2 Fading Properties | 37 |
| 1.2.7.3 60 GHz Propagation | 39 |
| 1.3 Principles of Multiple Access Communications | 42 |
| 1.3.1 Frequency Division Multiple Access | 42 |
| 1.3.2 Time Division Multiple Access | 43 |
| 1.3.3 Code Division Multiple Access | 45 |
| 1.4 First-Generation Mobile Radio Systems | 51 |
| 1.4.1 Network Aspects | 54 |

| | | |
|---------|---|-----------|
| 1.4.1.1 | Control Channels | 57 |
| 1.4.1.2 | Supervision | 58 |
| 1.4.1.3 | Call Origination | 59 |
| 1.4.1.4 | Call Receipt | 59 |
| 1.4.2 | Power Levels and Power Control | 60 |
| 1.4.2.1 | Call Termination | 60 |
| 1.5 | Digital Cellular Mobile Radio Systems | 60 |
| 1.5.1 | Communication Sub-systems | 61 |
| 1.5.1.1 | Speech Codec | 61 |
| 1.5.1.2 | Channel Codec | 62 |
| 1.5.1.3 | Modulation | 63 |
| 1.5.2 | FDMA Digital Link | 66 |
| 1.5.3 | TDMA Digital Link | 67 |
| 1.6 | Second-Generation Cellular Mobile Systems | 69 |
| 1.6.1 | Qualcomm CDMA | 70 |
| 1.6.1.1 | Qualcomm CDMA Down-link | 70 |
| 1.6.1.2 | Qualcomm CDMA Up-link | 74 |
| 1.7 | Cordless Telecommunications | 76 |
| 1.7.1 | CT2 System | 76 |
| 1.7.2 | Digital European Cordless Telecommunications System | 78 |
| 1.7.3 | Parameters of CTs and Cellular Systems | 80 |
| 1.8 | Teletraffic Considerations | 82 |
| | Bibliography | 86 |
| | 2 Mobile Radio Channels | 91 |
| 2.1 | Complex Baseband Representation | 92 |
| 2.1.1 | Bandpass Signals | 92 |
| 2.1.2 | Linear Bandpass Systems | 95 |
| 2.1.3 | Response of a Linear Bandpass System | 98 |
| 2.1.4 | Noise in Bandpass Systems | 101 |
| 2.2 | Mobile Radio Channel Types | 102 |
| 2.2.1 | The Propagation Channel | 103 |
| 2.2.2 | The Radio Channel | 103 |
| 2.2.3 | The Modulation Channel | 104 |
| 2.2.4 | The Digital Channel | 104 |
| 2.2.5 | A Channel Naming Convention | 105 |
| 2.3 | Physical Description of the Channels | 105 |
| 2.3.1 | The Propagation Channel | 105 |
| 2.3.1.1 | The Received Signal | 107 |
| 2.3.1.2 | The Impulse Response of the Channel | 107 |
| 2.3.1.3 | The Effect of Time Variations on the Channel | 108 |
| 2.3.1.4 | Channel Effects on Systems of Finite Delay Resolution | 111 |

| | | |
|--------------|--|-----|
| 2.3.1.5 | Channel Effects on Systems of Finite Doppler Resolution | 114 |
| 2.3.2 | The Radio Channel | 114 |
| 2.3.3 | The Modulation Channel | 117 |
| 2.3.4 | The Digital Channel | 118 |
| 2.4 | Classification of Channels | 118 |
| 2.4.1 | Time Dispersion and Frequency-Selective Fading . . | 118 |
| 2.4.2 | Frequency Dispersion and Time-Selective Fading . . | 122 |
| 2.4.3 | Channel Classifications | 123 |
| 2.5 | Linear Time-Variant Channels | 126 |
| 2.5.1 | The Variables Used For System Characterisation . . | 126 |
| 2.5.2 | The Bello System Functions | 127 |
| 2.5.3 | Description of Randomly Time-Variant Channels . . | 137 |
| 2.5.3.1 | Autocorrelation of a Bandpass Stochastic Process | 137 |
| 2.5.3.2 | General Randomly Time-Variant Channels | 139 |
| 2.5.3.3 | Wide-Sense Stationary Channels | 142 |
| 2.5.3.4 | Uncorrelated Scattering Channels | 144 |
| 2.5.3.5 | Wide-Sense Stationary Uncorrelated Scattering Cahnnels | 147 |
| 2.5.3.6 | Quasi-Wide-Sense Stationary Uncorrelated Scattering Channels | 147 |
| 2.6 | Characterisation by Bello Functions | 148 |
| 2.6.1 | Space-variance | 148 |
| 2.6.2 | Statistical Characteristics | 149 |
| 2.6.3 | Small-Area Characterisation | 150 |
| 2.6.4 | Large-Area Characterisation | 152 |
| 2.7 | Practical Channel Description | 152 |
| 2.7.1 | Propagation Pathloss Law | 154 |
| 2.7.1.1 | The Hata Pathloss Models | 156 |
| 2.7.2 | Slow Fading Statistics | 162 |
| 2.7.3 | Fast Fading Evaluation | 163 |
| 2.7.3.1 | Analysis of Fast Fading Statistics | 163 |
| 2.7.3.2 | The Relation of Rician and Gaussian PDFs | 169 |
| 2.7.3.3 | Extracting Fast Fading Characteristics . . | 169 |
| 2.7.3.4 | Goodness-of-fit Techniques | 172 |
| 2.7.3.4.1 | Chi-square Goodness-of-fit Test . | 173 |
| 2.7.3.4.2 | Kolmogorov-Smirnov (KS) Goodness-of-fit Test | 173 |
| 2.7.3.4.3 | Goodness-of-fit of the Hypothesis Distribution | 174 |
| 2.7.4 | Summary | 177 |
| Bibliography | | 181 |

| | |
|--|------------|
| 3 Speech Coding | 187 |
| 3.1 Introduction | 187 |
| 3.2 Model for Analysis-by-Synthesis Coding | 190 |
| 3.2.1 The Short-Term Predictor | 191 |
| 3.2.1.1 The Autocorrelation Method | 194 |
| 3.2.1.2 The Covariance Method | 196 |
| 3.2.1.3 Considerations in the Choice of LPC Analysis Conditions | 198 |
| 3.2.1.4 Quantization of the LPC parameters | 200 |
| 3.2.1.4.1 Reflection Coefficients | 201 |
| 3.2.1.4.2 Line Spectrum Pairs | 204 |
| 3.2.1.4.3 Interpolation of LPC parameters . | 206 |
| 3.2.2 The Long-Term Predictor | 209 |
| 3.2.2.1 Adaptive Codebook Approach | 213 |
| 3.2.2.2 Quantization of LTP parameters | 218 |
| 3.2.3 The Error Weighting Filter | 219 |
| 3.3 Multi-pulse and Regular-pulse Excitation | 222 |
| 3.3.1 Formulation of the Pulse Amplitudes and Positions Computation | 222 |
| 3.3.2 The Multi-pulse Approach | 228 |
| 3.3.3 Modification of the MPE Algorithm | 232 |
| 3.3.4 Evaluation of the Multi-pulse Algorithm | 234 |
| 3.3.4.1 Number of Pulses per Excitation Frame . | 234 |
| 3.3.4.2 The Length of the Excitation Frame . . | 237 |
| 3.3.5 Regular-Pulse Excitation Approach | 239 |
| 3.3.6 Evaluation of the RPE Algorithm | 240 |
| 3.3.6.1 Pulse Spacing | 240 |
| 3.3.6.2 Excitation Search Frame Length | 243 |
| 3.3.7 Simplification of the RPE Algorithm | 244 |
| 3.3.7.1 The Autocorrelation Approach | 245 |
| 3.3.7.2 Eliminating the Matrix Inversion | 245 |
| 3.3.8 Quantization of the Excitation in MPE and RPE Coders | 252 |
| 3.4 Code-Excited Linear Prediction | 258 |
| 3.4.1 CELP Principle | 262 |
| 3.4.2 Simplification of the CELP Search Procedure Using the Autocorrelation Approach | 266 |
| 3.4.2.1 Using Structured Codebooks | 268 |
| 3.4.2.2 Sparse Excitation Codebooks | 269 |
| 3.4.2.3 Ternary Codebooks | 270 |
| 3.4.2.4 Algebraic codebooks | 271 |
| 3.4.2.5 Overlapping Codebooks | 273 |
| 3.4.2.6 Self-Excitation | 276 |
| 3.4.3 CELP Performance | 277 |
| 3.5 Binary Pulse Excitation | 278 |

| | | |
|-----------|---|------------|
| 3.5.1 | Transformed Binary Pulse Excitation | 283 |
| 3.5.2 | Excitation Determination | 286 |
| 3.5.2.1 | Efficient Exhaustive Search: The Gray Code Approach | 288 |
| 3.5.2.2 | Non-exhaustive Search | 289 |
| 3.5.3 | Evaluation of the BPE Coder | 291 |
| 3.5.4 | Complexity Comparison Between BPE and CELP Codecs | 296 |
| 3.6 | Postfiltering | 298 |
| 3.7 | Speech Coding at Rates Below 2.4 kbps | 301 |
| 3.7.1 | Overview and Background | 301 |
| 3.7.2 | Wavelet-Based Pitch Detection | 303 |
| 3.7.3 | Voiced-Unvoiced Decisions | 307 |
| 3.7.4 | Pitch Detection | 307 |
| 3.7.5 | Basic Zinc-excited Coding Algorithm | 309 |
| 3.7.6 | Pitch Prototype Segment | 310 |
| 3.7.7 | Zinc Function Excitation | 311 |
| 3.7.8 | Excitation Optimization | 313 |
| 3.7.9 | Complexity Reduction | 313 |
| 3.7.10 | Voiced-Unvoiced Transition | 316 |
| 3.7.11 | Excitation Interpolation | 316 |
| 3.7.12 | 1.9 kbps ZFE-WI Codec Performance | 318 |
| 3.7.13 | Multiband Excited Codec | 320 |
| 3.7.14 | The MMBE Coding Algorithm | 320 |
| 3.7.15 | 2.35 kbps ZFE-MMBE-WI Codec Performance | 321 |
| 3.7.16 | Summary and Conclusions | 323 |
| | Bibliography | 325 |
| | 4 Channel Coding | 335 |
| 4.1 | Introduction | 335 |
| 4.2 | Interleaving Techniques | 336 |
| 4.2.1 | Diagonal Interleaving | 337 |
| 4.2.2 | Block Interleaving | 338 |
| 4.2.3 | Inter-Block Interleaving | 340 |
| 4.2.4 | Convolutional Interleaving | 341 |
| 4.2.5 | Discrete Memoryless Channel | 342 |
| 4.2.6 | The Effect of Interleaving on Symbol Error Distribution | 343 |
| 4.2.7 | Effect of Symbol Size on Symbol Error Probability . | 346 |
| 4.3 | Convolutional Codes | 346 |
| 4.3.1 | Convolutional Encoding | 347 |
| 4.3.2 | State and Trellis Diagrams | 350 |
| 4.3.3 | Maximum Likelihood Decoding | 353 |
| 4.3.3.1 | Hard-decision Decoding | 354 |
| 4.3.3.1.1 | Correct Decoding | 356 |

| | | |
|-----------|--|-----|
| 4.3.3.1.2 | Incorrect Decoding | 356 |
| 4.3.3.2 | Soft-decision Decoding | 357 |
| 4.3.3.3 | The Viterbi Algorithm | 359 |
| 4.3.4 | Distance Properties of Convolutional Codes | 363 |
| 4.3.5 | Punctured Convolutional Codes | 369 |
| 4.3.6 | Hard-decision Decoding Theory | 372 |
| 4.3.7 | Soft-decision Decoding Theory | 375 |
| 4.3.8 | Convolutional Code Performance | 377 |
| 4.3.8.1 | Convolutional Code Performance via Gaussian Channels | 378 |
| 4.3.8.2 | Convolutional Code Performance via Rayleigh Channels | 381 |
| 4.3.9 | Conclusions on Convolutional Coding | 386 |
| 4.4 | Block Codes | 388 |
| 4.4.1 | The Structure of Block Codes | 388 |
| 4.4.1.1 | Finite Fields | 389 |
| 4.4.1.2 | Vector Spaces | 391 |
| 4.4.1.3 | Extension Fields | 393 |
| 4.4.1.4 | Primitive Polynomials | 395 |
| 4.4.1.5 | Minimal Polynomials | 398 |
| 4.4.2 | Cyclic Codes | 405 |
| 4.4.3 | BCH Codes | 408 |
| 4.4.3.1 | Binary BCH Codes | 409 |
| 4.4.3.2 | non-binary BCH Codes | 410 |
| 4.4.3.2.1 | Reed-Solomon Codes | 411 |
| 4.4.4 | Encoding of Block Codes | 413 |
| 4.4.4.1 | Binary BCH Encoder | 415 |
| 4.4.4.2 | Reed-Solomon Encoder | 417 |
| 4.4.5 | Decoding Algorithms for Block Codes | 419 |
| 4.4.5.1 | The Syndrome Equations | 420 |
| 4.4.5.2 | Peterson-Gorenstein-Zierler Decoding | 422 |
| 4.4.5.3 | Berlekamp-Massey Algorithm | 428 |
| 4.4.5.4 | Forney Algorithm | 437 |
| 4.4.6 | Trellis Decoding for Block Codes | 442 |
| 4.4.6.1 | Trellis Construction | 442 |
| 4.4.6.2 | Trellis Decoding | 444 |
| 4.4.7 | Block Decoding Theory | 445 |
| 4.4.7.1 | Probability of Correct Decoding | 446 |
| 4.4.7.2 | Probability of Incorrect Decoding | 447 |
| 4.4.7.2.1 | Number of Weight- h Codewords | 451 |
| 4.4.7.3 | Post-decoding Bit and Symbol Error Probabilities | 452 |
| 4.4.8 | Block Coding Performance | 453 |
| 4.4.8.1 | Block Coding Performance via Gaussian Channels | 454 |

| | | |
|--|--|------------|
| 4.4.8.2 | Block Coding Performance via Rayleigh Fading Channels | 459 |
| 4.4.8.3 | Soft/Hard Decisions via Gaussian Channels | 462 |
| 4.4.9 | Conclusions on Block Coding | 465 |
| 4.5 | Concatenated Codes | 467 |
| 4.5.1 | Nested Codes | 467 |
| 4.5.2 | Product Codes | 469 |
| 4.6 | Comparison of Error Control Codes | 470 |
| Bibliography | | 476 |
| 5 Quaternary Frequency Shift Keying | | 481 |
| 5.1 | An S900-D Like System | 481 |
| 5.2 | QFSK Transmissions Over Gaussian Channels | 489 |
| 5.2.1 | Demodulation in the Absence of Cochannel Interference | 490 |
| 5.2.1.1 | Coherent Demodulation | 490 |
| 5.2.1.2 | Non-coherent Demodulation | 495 |
| 5.2.2 | Single Cochannel Interferer with Non-coherent Demodulation | 502 |
| 5.2.3 | Multiple Cochannel Interferers | 506 |
| 5.2.3.1 | Coherent Demodulation | 506 |
| 5.2.3.2 | Non-Coherent Demodulation | 507 |
| 5.3 | QFSK Transmission Over Rayleigh Channels | 509 |
| 5.3.1 | Coherent Demodulation | 511 |
| 5.3.2 | Non-Coherent Demodulation | 511 |
| Bibliography | | 514 |
| 6 Partial-response Modulation | | 515 |
| 6.1 | Generalised Phase Modulation | 515 |
| 6.1.1 | Digital Phase Modulation | 516 |
| 6.1.2 | Digital Frequency Modulation | 521 |
| 6.1.3 | Power Spectra | 531 |
| 6.1.3.1 | Modulated Signal Power Spectral Density Estimation | 534 |
| 6.1.4 | TDMA Format for DPM and DFM Transmissions | 534 |
| 6.1.5 | Hardware Aspects | 536 |
| 6.2 | CPM Receivers | 537 |
| 6.2.1 | Optimal Receiver | 537 |
| 6.2.2 | Probability of Symbol Error | 541 |
| 6.2.3 | Principle of Viterbi Equalisation | 545 |
| 6.2.4 | RF to Baseband Conversion | 552 |
| 6.2.5 | Baseband Processing | 553 |
| 6.2.6 | Viterbi Equalisation of Digital Phase Modulation | 569 |
| 6.2.7 | Viterbi Equalisation of GMSK Signals | 576 |
| 6.2.8 | Simulation of DPM Transmissions | 580 |

| | | |
|----------------------------|---|------------|
| 6.2.8.1 | DPM Transmissions over an AWGN Channel | 581 |
| 6.2.8.2 | DPM Transmissions over Non-Frequency Selective Rayleigh and Rician Channels | 583 |
| 6.2.8.3 | DPM Transmissions over Frequency Selective Two-Ray Static Channels | 585 |
| 6.2.8.4 | DPM Transmissions over Frequency Selective Two-Ray Fading Channels | 585 |
| 6.2.9 | Simulations of GMSK Transmissions | 588 |
| 6.2.9.1 | GMSK Transmissions over an AWGN Channel | 588 |
| 6.2.9.2 | GMSK Transmissions over Frequency Selective Rayleigh Fading Channels | 589 |
| 6.2.9.3 | Comment | 590 |
| Bibliography | | 592 |
| 7 Frequency Hopping | | 595 |
| 7.1 | Introduction | 595 |
| 7.2 | Principles of SFHMA | 596 |
| 7.2.1 | SFHMA Protocols | 597 |
| 7.2.2 | Reuse Cellular Structures | 598 |
| 7.2.3 | Propagation Factors | 602 |
| 7.3 | Description of an SFHMA System | 605 |
| 7.3.1 | Multiple Access Protocol | 605 |
| 7.3.2 | Time Division Multiplexing | 605 |
| 7.3.3 | Modulation and Equalisation | 605 |
| 7.3.4 | Speech and Channel Coding | 606 |
| 7.3.5 | Transmitted Signal Structure | 607 |
| 7.3.6 | Frequency Reuse | 607 |
| 7.4 | BER Performance | 608 |
| 7.4.1 | BER Performance of the MLSE Detector | 608 |
| 7.4.2 | BER Performance of the MSK-Type Detector | 610 |
| 7.4.3 | Channel Models and System Assumptions | 614 |
| 7.4.4 | BER Analysis of the SFHMA System in a Static AWGN Channel | 617 |
| 7.4.5 | BER Analysis in a Rayleigh Fading Channel | 621 |
| 7.5 | BER Performance | 623 |
| 7.5.1 | BER Analysis in a Noiseless Static Channel | 624 |
| 7.5.2 | BER Analysis in a Static AWGN Channel | 627 |
| 7.5.3 | BER Analysis in a Rayleigh Fading AWGN Channel | 630 |
| 7.5.4 | BER Analysis of a Noiseless Rayleigh Fading Channel | 632 |
| 7.6 | Estimation of Spectral Efficiency | 634 |
| 7.6.1 | Spectral Efficiency of the SFHMA System: Method A | 636 |
| 7.6.2 | Spectral Efficiency of the SFHMA System: Method B | 646 |
| 7.6.3 | Spectral Efficiency of the TD/FDMA System | 650 |

| | | |
|----------|--|------------|
| 7.7 | Conclusions | 655 |
| 7.8 | Appendix A: | 656 |
| | Bibliography | 659 |
| 8 | GSM | 661 |
| 8.1 | Introduction | 661 |
| 8.2 | Overview of the GSM System | 665 |
| 8.3 | Mapping Logical Channels | 668 |
| 8.3.1 | Logical Channels | 668 |
| 8.3.2 | Physical Channels | 671 |
| 8.3.2.1 | Mapping the TCH/FS and its SACCH as well as FACCH onto Physical Channels . . | 672 |
| 8.3.2.2 | Mapping Broadcast and Common Control Channels onto Physical Channels | 678 |
| 8.3.2.3 | Broadcast Control Channel Messages | 682 |
| 8.3.3 | Carrier and Burst Synchronisation | 683 |
| 8.3.4 | Frequency Hopping | 685 |
| 8.4 | Full-rate 13 kbps Speech Coding | 687 |
| 8.4.1 | Candidate Codecs | 687 |
| 8.4.2 | The RPE-LTP Speech Encoder | 688 |
| 8.4.3 | The RPE-LTP Speech Decoder | 692 |
| 8.5 | The Half-rate 5.6 kbps GSM Codec | 695 |
| 8.5.1 | Half-rate GSM Codec Outline | 695 |
| 8.5.2 | Half-rate GSM Codec Spectral Quantisation | 698 |
| 8.5.3 | Half-rate GSM Error Protection | 699 |
| 8.6 | The Enhanced GSM codec | 700 |
| 8.6.1 | EFR Codec Outline | 700 |
| 8.6.2 | Operation of the EFR-GSM Encoder | 702 |
| 8.6.2.1 | Spectral Quantisation in the EFR-GSM Codec | 702 |
| 8.6.2.2 | Adaptive Codebook Search | 704 |
| 8.6.2.3 | Fixed Codebook Search | 705 |
| 8.7 | Channel Coding and Interleaving | 706 |
| 8.7.1 | FEC for the 13kbps Speech Channel | 707 |
| 8.7.2 | FEC for Data Channels | 712 |
| 8.7.2.1 | Low-Rate Data Transmission | 714 |
| 8.7.3 | FEC in Control Channels | 714 |
| 8.7.4 | FEC Performance | 716 |
| 8.8 | Transmission and Reception | 720 |
| 8.9 | Wideband Channels and Viterbi Equalisation | 727 |
| 8.9.1 | Channel Models | 727 |
| 8.9.2 | Viterbi Equaliser | 729 |
| 8.9.3 | GSM System Performance | 731 |
| 8.10 | Radio Link Control | 733 |

| | | |
|---|--|------------|
| 8.10.1 | Link Control Concept | 733 |
| 8.10.2 | A Link Control Algorithm | 740 |
| 8.10.2.1 | BS Preprocessing and Averaging | 740 |
| 8.10.2.2 | RF Power Control and HO Initiation | 741 |
| 8.10.2.3 | Decision Algorithm | 741 |
| 8.10.2.4 | HO Decisions in the MSC | 745 |
| 8.10.2.5 | Handover Scenarios | 746 |
| 8.11 | Discontinuous Transmission | 747 |
| 8.11.1 | DTX Concept | 747 |
| 8.11.2 | Voice Activity Detection | 748 |
| 8.11.3 | DTX Transmitter Functions | 752 |
| 8.11.4 | DTX Receiver Functions | 753 |
| 8.11.5 | Comfort Noise Insertion and Speech/Noise Extrapolation | 756 |
| 8.12 | Ciphering | 757 |
| 8.13 | Telecommunication Services | 759 |
| 8.14 | Summary | 765 |
| Bibliography | | 768 |
| Glossary | | 771 |
| 9 Wireless QAM-based Multi-media Systems | | 777 |
| 9.1 | Motivation and Background | 777 |
| 9.2 | Speech Coding Aspects | 780 |
| 9.2.1 | Recent Speech Coding Advances | 780 |
| 9.2.2 | The 4.8 kbit/s Speech Codec | 781 |
| 9.2.3 | Speech Quality Measures | 784 |
| 9.2.4 | Bit Sensitivity Analysis | 785 |
| 9.3 | Video Coding Issues | 789 |
| 9.3.1 | Recent Video Coding Advances | 789 |
| 9.3.2 | Motion Compensation | 790 |
| 9.3.3 | A Fixed-rate Videophone Codec | 794 |
| 9.3.3.1 | The Intra-Frame Mode | 794 |
| 9.3.3.2 | Cost/Gain Controlled Motion Compensation | 794 |
| 9.3.3.3 | Transform Coding | 797 |
| 9.3.3.3.1 | One-dimensional Transform Coding | 797 |
| 9.3.3.3.2 | Two-dimensional Transform Coding | 798 |
| 9.3.3.4 | Gain Controlled Quadruple-Class DCT . . | 801 |
| 9.3.4 | The H.263 Standard Video Codec | 803 |
| 9.4 | Graphical Source Compression | 806 |
| 9.4.1 | Introduction to Graphical Communications | 806 |
| 9.4.2 | Fixed-Length Differential Chain Coding | 806 |
| 9.4.3 | FL-DCC Graphical Codec Performance | 809 |
| 9.5 | Modulation Issues | 810 |
| 9.5.1 | Choice of Modulation | 810 |

| | | |
|-------------|---|-----|
| 9.5.2 | Quadrature Amplitude Modulation | 813 |
| 9.5.2.1 | Background | 813 |
| 9.5.2.2 | Modem Schematic | 814 |
| 9.5.2.2.1 | Gray Mapping and Phasor Constellation | 814 |
| 9.5.2.2.2 | Nyquist Filtering | 817 |
| 9.5.2.2.3 | Modulation and Demodulation | 819 |
| 9.5.2.2.4 | Data Recovery | 821 |
| 9.5.2.3 | QAM Constellations | 822 |
| 9.5.2.4 | 16-QAM BER versus SNR Performance over AWGN Channels | 825 |
| 9.5.2.4.1 | Decision Theory | 825 |
| 9.5.2.4.2 | QAM Modulation and Transmission | 828 |
| 9.5.2.4.3 | 16-QAM Demodulation in AWGN | 828 |
| 9.5.2.5 | Reference Assisted Coherent QAM for Fading Channels | 832 |
| 9.5.2.5.1 | PSAM System Description | 832 |
| 9.5.2.5.2 | Channel Gain Estimation in PSAM | 834 |
| 9.5.2.5.3 | PSAM Performance | 837 |
| 9.5.2.6 | Differentially Detected QAM | 837 |
| 9.5.2.7 | Burst-by-burst Adaptive Modems | 841 |
| 9.5.2.8 | Summary of Multi-level Modulation | 845 |
| 9.6 | Packet Reservation Multiple Access | 845 |
| 9.7 | Multi-mode Multi-media Transceivers | 847 |
| 9.7.1 | Flexible Transceiver Architecture | 847 |
| 9.7.2 | A 30 kHz Bandwidth Multi-media System | 850 |
| 9.7.2.1 | Channel-coding and Bit-mapping | 850 |
| 9.7.2.2 | Performance of a 30-kHz Bandwidth Multi-media System | 853 |
| 9.7.3 | A 200 kHz Bandwidth Multi-mode, Multi-media System | 857 |
| 9.7.3.1 | Low-quality Speech Mode | 858 |
| 9.7.3.2 | High-quality Speech Mode | 860 |
| 9.7.3.3 | Multi-mode Video Transmission | 861 |
| 9.7.3.4 | PRMA-assisted Multi-level Graphical Communications | 862 |
| 9.7.3.4.1 | Graphical Transmission Issues | 862 |
| 9.7.3.4.1.1 | Graphical Packetisation Aspects | 863 |
| 9.7.3.4.2 | Graphics, Voice and Video Multiplexing using PRMA | 865 |
| 9.7.3.5 | Performance of the 200 kHz Bandwidth Multi-mode, Multi-media System | 865 |
| 9.7.3.5.1 | Speech Performance | 865 |
| 9.7.3.5.2 | Video Performance | 869 |

| | | |
|------------------------------------|--|------------|
| 9.7.3.5.3 | Graphical System Performance | 870 |
| 9.8 | Summary and Conclusions | 875 |
| 9.9 | Acknowledgement | 877 |
| Bibliography | | 879 |
| Glossary | | 893 |
| 10 Third-Generation Systems | | 897 |
| 10.1 | Introduction | 897 |
| 10.2 | UMTS/IMT-2000 Terrestrial Radio Access | 900 |
| 10.2.1 | Characteristics of UTRA/IMT-2000 | 900 |
| 10.2.2 | Transport Channels | 904 |
| 10.2.3 | Physical Channels | 905 |
| 10.2.3.1 | UTRA Physical Channels | 907 |
| 10.2.3.2 | IMT-2000 Physical Channels | 910 |
| 10.2.4.1 | Service Multiplexing and Channel Coding in UTRA/IMT-2000 | 914 |
| 10.2.4.1.1 | Mapping Several Speech Services to the Physical Channels in FDD Mode | 916 |
| 10.2.4.1.2 | Mapping a 2.048 Mbps Data Service to the Physical Channels in TDD Mode | 918 |
| 10.2.5 | Variable Rate and Multicode Transmission in UTRA/IMT-2000 | 920 |
| 10.2.6 | Spreading and Modulation | 922 |
| 10.2.6.1 | Orthogonal Variable Spreading Factor Codes in UTRA/ IMT-2000 | 923 |
| 10.2.6.2 | Uplink Spreading and Modulation | 925 |
| 10.2.6.3 | Downlink Spreading and Modulation | 927 |
| 10.2.7 | Random Access | 928 |
| 10.2.8 | Power Control | 931 |
| 10.2.8.1 | Closed-Loop Power Control in UTRA/IMT-2000 | 931 |
| 10.2.8.2 | Open-Loop Power Control During the Mobile Station's Access | 932 |
| 10.2.9 | Cell Identification | 933 |
| 10.2.10 | Handover | 936 |
| 10.2.10.1 | Intra-frequency Handover or Soft Handover | 936 |
| 10.2.10.2 | Inter-frequency Handover or Hard Handover | 936 |
| 10.2.11 | Inter-cell Time Synchronization in the UTRA/ IMT-2000 TDD mode | 937 |
| 10.3 | The cdma2000 Terrestrial Radio Access | 939 |
| 10.3.1 | Characteristics of cdma2000 | 939 |
| 10.3.2 | Physical Channels in cdma2000 | 941 |
| 10.3.3 | Service Multiplexing and Channel Coding | 944 |
| 10.3.4 | Spreading and Modulation | 944 |

| | | |
|------------------------|---|------------|
| 10.3.4.1 | Downlink Spreading and Modulation | 945 |
| 10.3.4.2 | Uplink Spreading and Modulation | 947 |
| 10.3.5 | Random Access | 949 |
| 10.3.6 | Handover | 951 |
| 10.4 | Performance Enhancement Features | 952 |
| 10.4.1 | Adaptive Antennas | 952 |
| 10.4.2 | Multiuser Detection/Interference Cancellation | 953 |
| 10.4.3 | Transmit Diversity | 953 |
| 10.4.3.1 | Time Division Transmit Diversity | 953 |
| 10.4.3.2 | Orthogonal Transmit Diversity | 954 |
| Bibliography | | 955 |
| Glossary | | 961 |
| 11 Wireless ATM | | 965 |
| 11.1 | Introduction | 965 |
| 11.2 | Overview of ATM | 966 |
| 11.2.1 | ATM Cell | 967 |
| 11.2.2 | Service Classes | 969 |
| 11.2.3 | Statistical Multiplexing | 970 |
| 11.2.4 | Virtual Connections | 971 |
| 11.2.5 | Service Parameters | 973 |
| 11.3 | Wireless ATM Mobility | 976 |
| 11.3.1 | Network Architectures for ATM Mobility | 977 |
| 11.3.2 | Handover Schemes | 979 |
| 11.3.2.1 | Cell Forwarding | 979 |
| 11.3.2.2 | Virtual Connection Tree | 980 |
| 11.3.2.3 | Dynamic Re-routing | 982 |
| 11.3.3 | Quality-of-Service | 983 |
| 11.3.4 | Location Management and Routing | 985 |
| 11.4 | Radio Access Infrastructure | 986 |
| 11.4.1 | Medium Access Control | 989 |
| 11.4.1.1 | Adaptive PRMA | 991 |
| 11.4.1.2 | Dynamic Slot Assignment | 992 |
| 11.4.1.3 | Distributed Queueing Request Update Multiple Access | 992 |
| 11.4.2 | Polling Scheme for Adaptive Antenna Arrays | 993 |
| 11.4.3 | Data Link Control Layer | 994 |
| 11.4.4 | Radio Physical Layer | 995 |
| 11.5 | Microcellular Architecture | 995 |
| 11.5.1 | Dedicated Link to BSs from a Remote ATM Node | 996 |
| 11.5.2 | BSs as Simple Private ATM Nodes | 997 |
| 11.5.3 | BSs as Full ATM Nodes | 997 |
| 11.5.4 | BSC for Semi-intelligent BSs | 997 |
| 11.5.5 | BSC for Dumb BSs | 999 |

| | | |
|----------|---|-------------|
| 11.5.6 | Plug-in BSs | 1000 |
| 11.6 | WATM Network Teletraffic Simulation | 1001 |
| 11.6.1 | WATM Simulation Tool | 1002 |
| 11.6.1.1 | Medium Access Control | 1002 |
| 11.6.1.2 | Service Characteristics | 1003 |
| 11.6.1.3 | Call Admission Control | 1004 |
| 11.6.1.4 | Handover | 1006 |
| 11.6.2 | Rectilinear Grid Network Simulations | 1006 |
| 11.6.2.1 | Dynamic versus Fixed Slot Assignment Schemes Transporting GSM-based Voice Traffic | 1007 |
| 11.6.2.2 | DSA Scheme Transporting Voice Traffic With WATM Characteristics | 1009 |
| 11.6.2.3 | DSA With A Mixture of Voice and Video Services | 1011 |
| 11.6.2.4 | Dynamic versus Fixed Slot Assignment with Voice and Video Traffic | 1013 |
| 11.6.2.5 | Allowing Call Attempts on a Secondary BS | 1016 |
| 11.6.2.6 | Allowing Handover on Cell Loss | 1016 |
| 11.6.2.7 | Accept All Calls Algorithm | 1019 |
| 11.6.2.8 | Accept All Calls Algorithm Combined with the Handover on Cell Loss Algorithm | 1021 |
| 11.6.3 | Campus Network Simulations | 1024 |
| 11.6.3.1 | Combined Voice, Video and Data Services | 1026 |
| 11.6.3.2 | Dynamic versus Fixed Slot Assignment Scheme with Voice, Video, and Data Traffic | 1028 |
| 11.6.3.3 | The Absence of Handover on Cell Loss | 1030 |
| 11.6.3.4 | High-Priority Video | 1031 |
| 11.6.3.5 | Equal Priority Services | 1032 |
| 11.6.3.6 | Delay Buffering | 1033 |
| 11.6.3.7 | Speed of Handover | 1033 |
| 11.6.3.8 | Increased Handover Hysteresis | 1035 |
| 11.6.3.9 | Absence of Minicell Coverage | 1035 |
| 11.7 | Summary of WATM Simulations | 1037 |
| 11.8 | WATM Conclusions | 1038 |
| | Bibliography | 1040 |
| | Index | 1044 |
| | Author Index | 1054 |