

SAVO GLISIC AND BEATRIZ LORENZO

COGNITIVE, COOPERATIVE  
AND OPPORTUNISTIC

4G

TECHNOLOGY

ADVANCED  
**WIRELESS**  
NETWORKS

SECOND EDITION

Companion Website

 WILEY

BIBLIOTHEQUE DU CERIST

# ADVANCED WIRELESS NETWORKS

## Cognitive, Cooperative and Opportunistic 4G Technology

Second Edition

Savo Glisic

Beatriz Lorenzo

*University of Oulu, Finland*



A John Wiley and Sons, Ltd., Publication



# Contents

|  |     |
|--|-----|
| <i>Preface to the Second Edition</i>                     | xix |
| 1 Fundamentals   | 1   |
| 1.1 4G Networks and Composite Radio Environment          | 1   |
| 1.2 Protocol Boosters                                    | 7   |
| 1.2.1 One-element error detection booster for UDP        | 9   |
| 1.2.2 One-element ACK compression booster for TCP        | 9   |
| 1.2.3 One-element congestion control booster for TCP     | 9   |
| 1.2.4 One-element ARQ booster for TCP                    | 9   |
| 1.2.5 A forward erasure correction booster for IP or TCP | 10  |
| 1.2.6 Two-element jitter control booster for IP          | 10  |
| 1.2.7 Two-element selective ARQ booster for IP or TCP    | 11  |
| 1.3 Green Wireless Networks                              | 11  |
| References   | 11  |
| 2 Opportunistic Communications                           | 15  |
| 2.1 Multiuser Diversity                                  | 15  |
| 2.2 Proportional Fair Scheduling                         | 16  |
| 2.3 Opportunistic Beamforming                            | 19  |
| 2.4 Opportunistic Nulling in Cellular Systems            | 20  |
| 2.5 Network Cooperation and Opportunistic Communications | 22  |
| 2.5.1 Performance example                                | 25  |
| 2.6 Multiuser Diversity in Wireless Ad Hoc Networks      | 27  |
| 2.6.1 Multiple-output and multiple-input link diversity  | 29  |
| 2.6.2 Localized opportunistic transmission               | 30  |
| 2.6.3 Multiuser diversity-driven clustering              | 31  |
| 2.6.4 Opportunistic MAC with timeshare fairness          | 34  |
| 2.6.5 CDF-based K-ary opportunistic splitting algorithm  | 34  |
| 2.6.6 Throughput   | 37  |
| 2.6.7 Optimal opportunistic MAC                          | 37  |

|       |  |     |
|-------|--|-----|
| 2.6.8 | Contention resolution between clusters                           | 38  |
| 2.6.9 | Performance examples   | 40  |
| 2.7   | Mobility-Assisted Opportunistic Scheduling (MAOS)                | 46  |
| 2.7.1 | Mobility models  | 48  |
| 2.7.2 | Optimal MAOS algorithm   | 49  |
| 2.7.3 | Suboptimum MAOS algorithm  | 51  |
| 2.7.4 | Mobility estimation and prediction                               | 51  |
| 2.7.5 | Estimation of Lagrange multipliers                               | 52  |
| 2.7.6 | Performance examples   | 52  |
| 2.8   | Opportunistic and Cooperative Cognitive Wireless Networks        | 53  |
| 2.8.1 | The system model   | 53  |
| 2.8.2 | The outage probability   | 57  |
| 2.8.3 | Cellular traffic shaping   | 58  |
| 2.8.4 | User mobility modeling   | 59  |
| 2.8.5 | Absorbing Markov chain system model                              | 61  |
| 2.8.6 | Throughput analysis  | 62  |
| 2.8.7 | Collision resolution   | 65  |
| 2.8.8 | Opportunistic transmission with intercell interference awareness | 65  |
| 2.8.9 | Performance examples   | 68  |
|       | References   | 70  |
| 3     | Relaying and Mesh Networks                                       | 73  |
| 3.1   | Relaying Strategies in Cooperative Cellular Networks             | 73  |
| 3.1.1 | The system model   | 73  |
| 3.1.2 | System optimization  | 75  |
| 3.1.3 | Relay strategy selection optimization                            | 79  |
| 3.1.4 | Performance example  | 84  |
| 3.2   | Mesh/Relay Networks  | 85  |
| 3.2.1 | The system model   | 86  |
| 3.2.2 | Exhaustive sleep   | 88  |
| 3.2.3 | Practical applications   | 94  |
| 3.2.4 | Performance example  | 95  |
| 3.3   | Opportunistic <i>Ad Hoc</i> Relaying For Multicast               | 97  |
| 3.3.1 | The system model   | 98  |
| 3.3.2 | Proxy discovery and route interference                           | 99  |
| 3.3.3 | Near-optimal multicast and approximations                        | 101 |
| 3.3.4 | Performance examples   | 103 |
|       | References   | 107 |
| 4     | Topology Control   | 113 |
| 4.1   | Local Minimum Spanning Tree (LMST) Topology Control              | 115 |
| 4.1.1 | Basics of MST topology control                                   | 115 |
| 4.1.2 | Performance examples   | 118 |
| 4.2   | Joint Topology Control, Resource Allocation and Routing          | 118 |
| 4.2.1 | JTCR algorithm   | 121 |
| 4.3   | Fault-Tolerant Topology  | 123 |
| 4.3.1 | The system model   | 124 |
| 4.3.2 | Fault-tolerant topology design                                   | 124 |
| 4.3.3 | $\alpha$ -Approximation algorithms                               | 127 |
| 4.3.4 | Performance examples   | 132 |

|        |   |     |
|--------|---|-----|
| 4.4    | Topology Control in Directed Graphs             | 132 |
| 4.4.1  | The system model                                | 133 |
| 4.4.2  | Minimum-weight-based algorithms                 | 133 |
| 4.4.3  | Augmentation-based algorithms                   | 135 |
| 4.4.4  | Performance examples                            | 138 |
| 4.5    | Adjustable Topology Control                     | 138 |
| 4.5.1  | The system model                                | 140 |
| 4.5.2  | The $r$ -neighborhood graph                     | 142 |
| 4.6    | Self-Configuring Topologies                     | 143 |
| 4.6.1  | SCT performance                                 | 145 |
|        | References                                      | 148 |
| 5      | Adaptive Medium Access Control                  | 157 |
| 5.1    | WLAN Enhanced Distributed Coordination Function | 157 |
| 5.2    | Adaptive MAC for WLAN with Adaptive Antennas    | 160 |
| 5.2.1  | Description of the protocols                    | 160 |
| 5.3    | MAC for Wireless Sensor Networks                | 166 |
| 5.3.1  | S-MAC protocol design                           | 167 |
| 5.3.2  | Periodic listen and sleep                       | 168 |
| 5.3.3  | Collision avoidance                             | 168 |
| 5.3.4  | Coordinated sleeping                            | 169 |
| 5.3.5  | Choosing and maintaining schedules              | 169 |
| 5.3.6  | Maintaining synchronization                     | 170 |
| 5.3.7  | Adaptive listening                              | 170 |
| 5.3.8  | Overhearing avoidance and message passing       | 172 |
| 5.3.9  | Overhearing avoidance                           | 172 |
| 5.3.10 | Message passing                                 | 172 |
| 5.4    | MAC for <i>Ad Hoc</i> Networks                  | 174 |
| 5.4.1  | Carrier sense wireless networks                 | 176 |
| 5.4.2  | Interaction with upper layers                   | 179 |
|        | References                                      | 180 |
| 6      | Teletraffic Modeling and Analysis               | 183 |
| 6.1    | Channel Holding Time in PCS Networks            | 183 |
|        | References                                      | 191 |
| 7      | Adaptive Network Layer                          | 193 |
| 7.1    | Graphs and Routing Protocols                    | 193 |
| 7.1.1  | Elementary concepts                             | 193 |
| 7.1.2  | Directed graph                                  | 193 |
| 7.1.3  | Undirected graph                                | 194 |
| 7.1.4  | Degree of a vertex                              | 194 |
| 7.1.5  | Weighted graph                                  | 195 |
| 7.1.6  | Walks and paths                                 | 195 |
| 7.1.7  | Connected graphs                                | 195 |
| 7.1.8  | Trees   | 196 |
| 7.1.9  | Spanning tree                                   | 197 |
| 7.1.10 | MST computation                                 | 199 |
| 7.1.11 | Shortest path spanning tree                     | 201 |
| 7.2    | Graph Theory                                    | 212 |

|        |  |     |
|--------|--|-----|
| 7.3    | Routing with Topology Aggregation                          | 214 |
| 7.4    | Network and Aggregation Models                             | 215 |
| 7.4.1  | Line segment representation                                | 217 |
| 7.4.2  | QoS-aware topology aggregation                             | 220 |
| 7.4.3  | Mesh formation   | 220 |
| 7.4.4  | Star formation   | 221 |
| 7.4.5  | Line-segment routing algorithm                             | 222 |
| 7.4.6  | Performance measure  | 224 |
| 7.4.7  | Performance example  | 225 |
|        | References   | 228 |
| 8      | Effective Capacity   | 235 |
| 8.1    | Effective Traffic Source Parameters                        | 235 |
| 8.1.1  | Effective traffic source                                   | 237 |
| 8.1.2  | Shaping probability  | 238 |
| 8.1.3  | Shaping delay  | 238 |
| 8.1.4  | Performance example  | 241 |
| 8.2    | Effective Link Layer Capacity                              | 243 |
| 8.2.1  | Link-layer channel model                                   | 244 |
| 8.2.2  | Effective capacity model of wireless channels              | 246 |
| 8.2.3  | Physical layer vs link-layer channel model                 | 249 |
| 8.2.4  | Performance examples                                       | 251 |
|        | References   | 254 |
| 9      | Adaptive TCP Layer   | 257 |
| 9.1    | Introduction   | 257 |
| 9.1.1  | A large bandwidth-delay product                            | 258 |
| 9.1.2  | Buffer size  | 259 |
| 9.1.3  | Round-trip time  | 260 |
| 9.1.4  | Unfairness problem at the TCP layer                        | 261 |
| 9.1.5  | Noncongestion losses                                       | 262 |
| 9.1.6  | End-to-end solutions                                       | 262 |
| 9.1.7  | Bandwidth asymmetry  | 263 |
| 9.2    | TCP Operation and Performance                              | 264 |
| 9.2.1  | The TCP transmitter  | 264 |
| 9.2.2  | Retransmission timeout                                     | 265 |
| 9.2.3  | Window adaptation  | 265 |
| 9.2.4  | Packet loss recovery                                       | 265 |
| 9.2.5  | TCP-OldTahoe (timeout recovery)                            | 265 |
| 9.2.6  | TCP-Tahoe (fast retransmit)                                | 265 |
| 9.2.7  | TCP-Reno fast retransmit, fast (but conservative) recovery | 265 |
| 9.2.8  | TCP-NewReno (fast retransmit, fast recovery)               | 266 |
| 9.2.9  | Spurious retransmissions                                   | 267 |
| 9.2.10 | Modeling of TCP operation                                  | 267 |
| 9.3    | TCP for Mobile Cellular Networks                           | 268 |
| 9.3.1  | Improving TCP in mobile environments                       | 269 |
| 9.3.2  | Mobile TCP design  | 270 |
| 9.3.3  | The SH-TCP client  | 272 |
| 9.3.4  | The M-TCP protocol   | 273 |
| 9.3.5  | Performance examples                                       | 275 |

|        |  |     |
|--------|--|-----|
| 9.4    | Random Early Detection Gateways for Congestion Avoidance                               | 276 |
| 9.4.1  | The RED algorithm  | 276 |
| 9.4.2  | Performance example  | 277 |
| 9.5    | TCP for Mobile <i>Ad Hoc</i> Networks  | 280 |
| 9.5.1  | Effect of route recomputations   | 280 |
| 9.5.2  | Effect of network partitions   | 280 |
| 9.5.3  | Effect of multipath routing  | 280 |
| 9.5.4  | ATCP sublayer  | 281 |
| 9.5.5  | ATCP protocol design   | 282 |
| 9.5.6  | Performance examples   | 287 |
|        | References   | 287 |
| 10     | Network Optimization Theory  | 289 |
| 10.1   | Introduction   | 289 |
| 10.2   | Layering as Optimization Decomposition   | 290 |
| 10.2.1 | TCP congestion control   | 290 |
| 10.2.2 | TCP Reno/RED   | 291 |
| 10.2.3 | TCP Vegas/Drop Tail  | 292 |
| 10.2.4 | Optimization of the MAC protocol   | 292 |
| 10.2.5 | Utility optimal MAC protocol/social optimum  | 295 |
| 10.3   | Crosslayer Optimization  | 298 |
| 10.3.1 | Congestion control and routing   | 298 |
| 10.3.2 | Congestion control and physical resource allocation                                    | 301 |
| 10.3.3 | Congestion and contention control  | 303 |
| 10.3.4 | Congestion control, routing and scheduling   | 306 |
| 10.4   | Optimization Problem Decomposition Methods   | 307 |
| 10.4.1 | Decoupling coupled constraints   | 307 |
| 10.4.2 | Dual decomposition of the basic NUM  | 308 |
| 10.4.3 | Coupling constraints   | 310 |
| 10.4.4 | Decoupling coupled objectives  | 310 |
| 10.4.5 | Alternative decompositions   | 313 |
| 10.4.6 | Application example of decomposition techniques to distributed crosslayer optimization | 315 |
| 10.5   | Optimization of Distributed Rate Allocation for Inelastic Utility Flows                | 319 |
| 10.5.1 | Nonconcave utility flows   | 319 |
| 10.5.2 | Capacity provisioning for convergence of the basic algorithm                           | 322 |
| 10.6   | Nonconvex Optimization Problem in Network with QoS Provisioning                        | 323 |
| 10.6.1 | The system model   | 323 |
| 10.6.2 | Solving the nonconvex optimization problem for joint congestion–contention control     | 325 |
| 10.7   | Optimization of Layered Multicast by Using Integer and Dynamic Programming             | 326 |
| 10.7.1 | The system model   | 327 |
| 10.7.2 | Lagrangian relaxation for integer programs   | 329 |
| 10.7.3 | Group profit maximization by dynamic programming                                       | 329 |
| 10.8   | QoS Optimization in Time-Varying Channels  | 331 |
| 10.8.1 | The system model   | 331 |
| 10.8.2 | Dynamic control algorithm  | 332 |
| 10.9   | Network Optimization by Geometric Programming  | 337 |
| 10.9.1 | Power control by geometric programming: high SNR                                       | 338 |
| 10.9.2 | Power control by geometric programming: low SNR  | 340 |
| 10.10  | QoS Scheduling by Geometric Programming  | 340 |

|         |   |     |
|---------|---|-----|
| 10.10.1 | Optimization of OFDM system by GP                                 | 344 |
| 10.10.2 | Maximum weight matching scheduling by GP                          | 344 |
| 10.10.3 | Opportunistic scheduling by GP                                    | 345 |
| 10.10.4 | Rescue scheduling by GP   | 345 |
|         | References  | 346 |
| 11      | Mobility Management   | 351 |
| 11.1    | Introduction  | 351 |
| 11.1.1  | Mobility management in cellular networks                          | 353 |
| 11.1.2  | Location registration and call delivery in 4G                     | 355 |
| 11.2    | Cellular Systems with Prioritized Handoff                         | 374 |
| 11.2.1  | Channel assignment priority schemes                               | 377 |
| 11.2.2  | Channel reservation – CR handoffs                                 | 377 |
| 11.2.3  | Channel reservation with queueing – CRQ handoffs                  | 378 |
| 11.2.4  | Performance examples  | 382 |
| 11.3    | Cell Residing Time Distribution                                   | 383 |
| 11.4    | Mobility Prediction in Pico- and MicroCellular Networks           | 388 |
| 11.4.1  | PST-QoS guarantees framework                                      | 390 |
| 11.4.2  | Most likely cluster model   | 391 |
|         | Appendix: Distance Calculation in an Intermediate Cell            | 398 |
|         | References  | 403 |
| 12      | Cognitive Radio Resource Management                               | 407 |
| 12.1    | Channel Assignment Schemes  | 407 |
| 12.1.1  | Different channel allocation schemes                              | 409 |
| 12.1.2  | Fixed channel allocation  | 410 |
| 12.1.3  | Channel borrowing schemes   | 410 |
| 12.1.4  | Simple channel borrowing schemes                                  | 411 |
| 12.1.5  | Hybrid channel borrowing schemes                                  | 412 |
| 12.1.6  | Dynamic channel allocation  | 414 |
| 12.1.7  | Centralized DCA schemes   | 415 |
| 12.1.8  | Cell-based distributed DCA schemes                                | 417 |
| 12.1.9  | Signal strength measurement-based distributed DCA schemes         | 419 |
| 12.1.10 | One-dimensional cellular systems                                  | 420 |
| 12.1.11 | Reuse partitioning (RUP)  | 422 |
| 12.2    | Dynamic Channel Allocation with SDMA                              | 426 |
| 12.2.1  | Single-cell environment   | 426 |
| 12.2.2  | Resource allocation   | 430 |
| 12.2.3  | Performance examples  | 435 |
| 12.3    | Packet-Switched SDMA/TDMA Networks                                | 435 |
| 12.3.1  | The system model  | 437 |
| 12.3.2  | Multibeam SDMA/TDMA capacity and slot allocation                  | 439 |
| 12.3.3  | SDMA/TDMA slot allocation algorithms                              | 441 |
| 12.3.4  | SDMA/TDMA performance examples                                    | 445 |
| 12.4    | SDMA/OFDM Networks with Adaptive Data Rate                        | 446 |
| 12.4.1  | The system model  | 446 |
| 12.4.2  | Resource allocation algorithm                                     | 448 |
| 12.4.3  | Impact of OFDM/SDMA system specifications on resource allocations | 450 |
| 12.4.4  | Performance examples  | 453 |
| 12.5    | Intercell Interference Cancellation – SP Separability             | 454 |



|        |   |     |
|--------|---|-----|
| 12.5.1 | Channel and cellular system model                                   | 455 |
| 12.5.2 | Turbo space-time multiuser detection for intracell communications   | 457 |
| 12.5.3 | Multiuser detection in the presence of intercell interference       | 459 |
| 12.5.4 | Performance examples  | 460 |
| 12.6   | Intercell Interference Avoidance in SDMA Systems                    | 461 |
| 12.6.1 | The BOW scheme  | 467 |
| 12.6.2 | Generating beam-off sequences                                       | 468 |
| 12.6.3 | Constrained QRA-IA  | 468 |
| 12.7   | Multilayer RRM  | 470 |
| 12.7.1 | The SRA protocol  | 471 |
| 12.7.2 | The ESRA protocol   | 473 |
| 12.8   | Resource Allocation with Power Preassignment (RAPpA)                | 475 |
| 12.8.1 | Resource assignment protocol  | 476 |
| 12.8.2 | Analytical modeling of RAPpA  | 479 |
| 12.9   | Cognitive and Cooperative Dynamic Radio Resource Allocation         | 484 |
| 12.9.1 | Signal-to-interference ratio  | 486 |
| 12.9.2 | System performance  | 488 |
| 12.9.3 | Multicell operation   | 491 |
| 12.9.4 | Performance examples  | 492 |
|        | Appendix 12A: Power Control, CD Protocol, in the Presence of Fading | 494 |
|        | Appendix 12B: Average Intercell Throughput                          | 498 |
|        | References  | 499 |
| 13     | <i>Ad Hoc</i> Networks  | 505 |
| 13.1   | Routing Protocols   | 505 |
| 13.1.1 | Routing protocols   | 507 |
| 13.1.2 | Reactive protocols  | 512 |
| 13.2   | Hybrid routing protocol   | 524 |
| 13.2.1 | Loop-back termination   | 526 |
| 13.2.2 | Early termination   | 527 |
| 13.2.3 | Selective broadcasting (SBC)  | 528 |
| 13.3   | Scalable Routing Strategies   | 531 |
| 13.3.1 | Hierarchical routing protocols                                      | 531 |
| 13.3.2 | Performance examples  | 533 |
| 13.3.3 | FSR (fisheye routing) protocol                                      | 534 |
| 13.4   | Multipath Routing   | 537 |
| 13.5   | Clustering Protocols  | 539 |
| 13.5.1 | Introduction  | 539 |
| 13.5.2 | Clustering algorithm  | 541 |
| 13.5.3 | Clustering with prediction  | 542 |
| 13.6   | Caching Schemes for Routing   | 549 |
| 13.6.1 | Cache management  | 549 |
| 13.7   | Distributed QoS Routing   | 558 |
| 13.7.1 | Wireless links reliability  | 558 |
| 13.7.2 | Routing   | 558 |
| 13.7.3 | Routing information   | 559 |
| 13.7.4 | Token-based routing   | 559 |
| 13.7.5 | Delay-constrained routing   | 560 |
| 13.7.6 | Tokens  | 561 |
| 13.7.7 | Forwarding the received tokens                                      | 562 |
| 13.7.8 | Bandwidth-constrained routing                                       | 562 |

|         |  |     |
|---------|--|-----|
| 13.7.9  | Forwarding the received tickets                          | 562 |
| 13.7.10 | Performance example                                      | 564 |
|         | References   | 567 |
| 14      | Sensor Networks  | 573 |
| 14.1    | Introduction   | 573 |
| 14.2    | Sensor Networks Parameters                               | 575 |
| 14.2.1  | Pre-deployment and deployment phase                      | 576 |
| 14.2.2  | Post-deployment phase                                    | 576 |
| 14.2.3  | Re-deployment of additional nodes phase                  | 577 |
| 14.3    | Sensor networks architecture                             | 577 |
| 14.3.1  | Physical layer   | 578 |
| 14.3.2  | Data link layer  | 578 |
| 14.3.3  | Network layer  | 581 |
| 14.3.4  | Transport layer  | 585 |
| 14.3.5  | Application layer  | 586 |
| 14.4    | Mobile Sensor Networks Deployment                        | 587 |
| 14.5    | Directed Diffusion                                       | 590 |
| 14.5.1  | Data propagation   | 591 |
| 14.5.2  | Reinforcement  | 593 |
| 14.6    | Aggregation in Wireless Sensor Networks                  | 593 |
| 14.7    | Boundary Estimation                                      | 596 |
| 14.7.1  | Number of RDPs in $P$                                    | 598 |
| 14.7.2  | Kraft inequality   | 598 |
| 14.7.3  | Upper bounds on achievable accuracy                      | 599 |
| 14.7.4  | System optimization                                      | 600 |
| 14.8    | Optimal Transmission Radius in Sensor Networks           | 602 |
| 14.8.1  | Back-off phenomenon                                      | 606 |
| 14.9    | Data Funneling   | 607 |
| 14.10   | Equivalent Transport Control Protocol in Sensor Networks | 610 |
|         | References   | 613 |
| 15      | Security   | 623 |
| 15.1    | Authentication   | 623 |
| 15.1.1  | Attacks on simple cryptographic authentication           | 625 |
| 15.1.2  | Canonical authentication protocol                        | 629 |
| 15.2    | Security Architecture                                    | 631 |
| 15.3    | Key Management   | 635 |
| 15.3.1  | Encipherment   | 637 |
| 15.3.2  | Modification detection codes                             | 637 |
| 15.3.3  | Replay detection codes                                   | 637 |
| 15.3.4  | Proof of knowledge of a key                              | 637 |
| 15.3.5  | Point-to-point key distribution                          | 638 |
| 15.4    | Security management in GSM networks                      | 639 |
| 15.5    | Security management in UMTS                              | 643 |
| 15.6    | Security architecture for UMTS/WLAN Interworking         | 645 |
| 15.7    | Security in <i>Ad Hoc</i> Networks                       | 647 |
| 15.7.1  | Self-organized key management                            | 651 |
| 15.8    | Security in Sensor Networks                              | 652 |
|         | References   | 654 |

|        |   |     |
|--------|---|-----|
| 16     | Active Networks                                     | 659 |
| 16.1   | Introduction  | 659 |
| 16.2   | Programable Networks Reference Models               | 661 |
| 16.2.1 | IETF ForCES   | 662 |
| 16.2.2 | Active networks reference architecture              | 662 |
| 16.3   | Evolution to 4G Wireless Networks                   | 665 |
| 16.4   | Programmable 4G Mobile Network Architecture         | 667 |
| 16.5   | Cognitive Packet Networks                           | 670 |
| 16.5.1 | Adaptation by cognitive packets                     | 672 |
| 16.5.2 | The random neural networks-based algorithms         | 673 |
| 16.6   | Game Theory Models in Cognitive Radio Networks      | 675 |
| 16.6.1 | Cognitive radio networks as a game                  | 678 |
| 16.7   | Biologically Inspired Networks                      | 682 |
| 16.7.1 | Bio-analogies                                       | 682 |
| 16.7.2 | Bionet architecture                                 | 684 |
|        | References  | 686 |
| 17     | Network Deployment                                  | 693 |
| 17.1   | Cellular Systems with Overlapping Coverage          | 693 |
| 17.2   | Imbedded Microcell in CDMA Macrocell Network        | 698 |
| 17.2.1 | Macrocell and microcell link budget                 | 699 |
| 17.2.2 | Performance example                                 | 702 |
| 17.3   | Multitier Wireless Cellular Networks                | 703 |
| 17.3.1 | The network model                                   | 704 |
| 17.3.2 | Performance example                                 | 708 |
| 17.4   | Local Multipoint Distribution Service               | 709 |
| 17.4.1 | Interference estimations                            | 711 |
| 17.4.2 | Alternating polarization                            | 711 |
| 17.5   | Self-Organization in 4G Networks                    | 713 |
| 17.5.1 | Motivation  | 713 |
| 17.5.2 | Networks self-organizing technologies               | 715 |
|        | References  | 717 |
| 18     | Network Management                                  | 721 |
| 18.1   | The Simple Network Management Protocol              | 721 |
| 18.2   | Distributed Network Management                      | 725 |
| 18.3   | Mobile Agent-Based Network Management               | 726 |
| 18.3.1 | Mobile agent platform                               | 728 |
| 18.3.2 | Mobile agents in multioperator networks             | 728 |
| 18.3.3 | Integration of routing algorithm and mobile agents  | 730 |
| 18.4   | <i>Ad Hoc</i> Network Management                    | 735 |
| 18.4.1 | Heterogeneous environments                          | 735 |
| 18.4.2 | Time varying topology                               | 735 |
| 18.4.3 | Energy constraints                                  | 736 |
| 18.4.4 | Network partitioning                                | 736 |
| 18.4.5 | Variation of signal quality                         | 736 |
| 18.4.6 | Eavesdropping                                       | 736 |
| 18.4.7 | <i>Ad hoc</i> network management protocol functions | 736 |
| 18.4.8 | ANMP architecture                                   | 738 |
|        | References  | 743 |

|        |   |     |
|--------|---|-----|
| 19     | Network Information Theory  | 747 |
| 19.1   | Effective Capacity of Advanced Cellular Networks                                    | 747 |
| 19.1.1 | 4G cellular network system model  | 749 |
| 19.1.2 | The received signal   | 750 |
| 19.1.3 | Multipath channel: near-far effect and power control                                | 752 |
| 19.1.4 | Multipath channel: pointer tracking error, rake receiver and interference canceling | 753 |
| 19.1.5 | Interference canceler modeling: nonlinear multiuser detectors                       | 755 |
| 19.1.6 | Approximations  | 757 |
| 19.1.7 | Outage probability  | 757 |
| 19.2   | Capacity of <i>Ad Hoc</i> Networks  | 761 |
| 19.2.1 | Arbitrary networks  | 762 |
| 19.2.2 | Random networks   | 764 |
| 19.2.3 | Arbitrary networks: an upper bound on transport capacity                            | 765 |
| 19.2.4 | Arbitrary networks: lower bound on transport capacity                               | 768 |
| 19.2.5 | Random networks: lower bound on throughput capacity                                 | 769 |
| 19.3   | Information Theory and Network Architectures  | 773 |
| 19.3.1 | Network architecture  | 773 |
| 19.3.2 | Definition of feasible rate vectors   | 775 |
| 19.3.3 | The transport capacity  | 776 |
| 19.3.4 | Upper bounds under high attenuation   | 776 |
| 19.3.5 | Multihop and feasible lower bounds under high attenuation                           | 777 |
| 19.3.6 | The low-attenuation regime  | 778 |
| 19.3.7 | The Gaussian multiple-relay channel   | 779 |
| 19.4   | Cooperative Transmission in Wireless Multihop <i>Ad Hoc</i> Networks                | 780 |
| 19.4.1 | Transmission strategy and error propagation   | 783 |
| 19.4.2 | OLA flooding algorithm  | 784 |
| 19.4.3 | Simulation environment  | 784 |
| 19.5   | Network Coding  | 787 |
| 19.5.1 | Max-flow min-cut theorem (mfmcT)  | 788 |
| 19.5.2 | Achieving the max-flow bound through a generic LCM                                  | 789 |
| 19.5.3 | The transmission scheme associated with an LCM                                      | 792 |
| 19.5.4 | Memoryless communication network  | 793 |
| 19.5.5 | Network with memory   | 794 |
| 19.5.6 | Construction of a generic LCM on an acyclic network                                 | 794 |
| 19.5.7 | Time-invariant LCM and heuristic construction                                       | 795 |
| 19.6   | Capacity of Wireless Networks Using MIMO Technology                                 | 798 |
| 19.6.1 | Capacity metrics  | 800 |
| 19.7   | Capacity of Sensor Networks with Many-to-One Transmissions                          | 805 |
| 19.7.1 | Network architecture  | 805 |
| 19.7.2 | Capacity results  | 807 |
|        | References  | 809 |
| 20     | Energy-efficient Wireless Networks  | 813 |
| 20.1   | Energy Cost Function  | 813 |
| 20.2   | Minimum Energy Routing  | 815 |
| 20.3   | Maximizing Network Lifetime   | 816 |
| 20.4   | Energy-efficient MAC in Sensor Networks   | 821 |
| 20.4.1 | Staggered wakeup schedule   | 821 |
|        | References  | 823 |

|        |  |     |
|--------|--|-----|
| 21     | Quality-of-Service Management                        | 827 |
| 21.1   | Blind QoS Assessment System                          | 827 |
| 21.1.1 | System modeling                                      | 829 |
| 21.2   | QoS Provisioning in WLAN                             | 831 |
| 21.2.1 | Contention-based multipolling                        | 831 |
| 21.2.2 | Polling efficiency                                   | 832 |
| 21.3   | Dynamic Scheduling on RLC/MAC Layer                  | 835 |
| 21.3.1 | DSMC functional blocks                               | 837 |
| 21.3.2 | Calculating the high service rate                    | 838 |
| 21.3.3 | Heading-block delay                                  | 840 |
| 21.3.4 | Interference model                                   | 841 |
| 21.3.5 | Normal delay of a newly arrived block                | 841 |
| 21.3.6 | High service rate of a session                       | 842 |
| 21.4   | QoS in OFDMA-Based Broadband Wireless Access Systems | 842 |
| 21.4.1 | Iterative solution                                   | 846 |
| 21.4.2 | Resource allocation to maximize capacity             | 848 |
| 21.5   | Predictive Flow Control and QoS                      | 849 |
| 21.5.1 | Predictive flow control model                        | 850 |
|        | References   | 854 |
|        | <i>Index</i>   | 859 |



# 4G

COGNITIVE, COOPERATIVE  
AND OPPORTUNISTIC  
4G TECHNOLOGY

# ADVANCED WIRELESS NETWORKS

SECOND EDITION

SAVO GLISIC AND BEATRIZ LORENZO

UNIVERSITY OF OULU, FINLAND

With 40% new material the new edition of *Advanced Wireless Networks* provides a comprehensive representation of the key issues in 4G wireless networks. Focussing on cognitive, cooperative and opportunistic paradigms to provide further increase in network efficiency, the book explores and addresses issues in wireless internet, mobile cellular and WLAN, as well as sensor, ad hoc, bio-inspired, active and cognitive networks. It examines the problem of cross-layer optimisation and network information theory as well as adaptability and reconfigurability in wireless networks. This book is an integral description of future wireless networks and the interconnection between their elements.

The information is presented in a logical order within each chapter making it ideal for all levels of reader including researchers involved in modelling and analysis of future networks as well as engineers working in the area. Each chapter starts with introductory material and gradually includes more sophisticated models and mathematical tools concluding with a comprehensive list of references.

- Fully updated throughout with five new chapters on Opportunistic Communications; Relaying and Mesh Networks; Topology Control; Network Optimization; and Cognitive Radio Resource Management
- Unifies the latest research on cognitive, cooperative and opportunistic paradigms in wireless communications
- Provides efficient analytical tools for network analysis
- Discusses security issues, an essential element of working with wireless networks
- Supports advanced university and training courses in the field
- Companion website containing extra appendix on Queuing theory

Companion Website

[www.wiley.com/go/glisic](http://www.wiley.com/go/glisic)



Enjoyed this book?

Why not tell others about it  
and write a review on your  
favourite online bookseller.



Cover design by Dan Jubb

 **WILEY**  
wiley.com

ISBN 978-0-470-74250-1



9 780470 742501