O. Lehrmann Madsen (Ed.)



# ECOOP '92 European Conference on Object-Oriented Programming

Utrecht, The Netherlands, June 29-July 3, 1992 Proceedings

Springer-Verlag

Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest Series Editors

Gerhard Goos Universität Karlsruhe Postfach 69 80 Vincenz-Priessnitz-Straße 1 W-7500 Karlsruhe, FRG Juris Hartmanis Department of Computer Science Cornell University 5149 Upson Hall Ithaca, NY 14853, USA

Volume Editor

Ole Lehrmann Madsen Computer Science Department, Aarhus University Ny Munkegade, DK-8000 Aarhus C, Denmark

6239

CR Subject Classification (1991): D.2.2, D.3.2, H.2.4

ISBN 3-540-55668-0 Springer-Verlag Berlin Heidelberg New York ISBN 0-387-55668-0 Springer-Verlag New York Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1992 Printed in Germany

Typesetting: Camera ready by author/editor Printing and binding: Druckhaus Beltz, Hemsbach/Bergstr. 45/3140-543210 - Printed on acid-free paper

## Preface

This volume constitutes the proceedings of the sixth European Conference on Object-Oriented Programming (ECOOP), held in Utrecht (the Netherlands), June 29 -July 3, 1992. Previous ECOOP conferences were held in Paris (France), Oslo (Norway), Nottingham (England), Ottawa (Canada, jointly with OOPSLA), and Geneva (Switzerland). Next year's ECOOP is planned to take place in Kaiserslautern (Germany).

Since the "French initiative" to organize the first conference in Paris, ECOOP has been a very successful forum for discussing the state of art of object-orientation. ECOOP has been able to attract papers of a high scientific quality as well as high quality experience papers describing the pros and cons of using object-orientation in practice. This duality between theory and practice within object-orientation makes a good example of experimental computer science. The enormous commercial success of object-orientation may also be a problem for object-orientation. You cannot open a journal these days without reading about the great advantages of object-orientation. It is quite clear to me that many people are overselling object-orientation. The result of this may be that industry reacts negatively to object-orientation when it does not live up to all the given promises. We are sure that this year's ECOOP will continue the tradition of being a high quality conference and that it will contribute to a more balanced view on object-orientation.

This volume consists of 23 papers, including one invited paper and 22 papers selected by the programme committee from 124 submissions. The selection process was very difficult due to the large amount of good papers and many good papers could not be accepted due to space limitations. Each submitted paper has been reviewed by 3-4 people. The selection of papers was based only on the quality of the papers themselves. The quality of a conference is determined by the quality of the submitted papers and the quality of the reviewing. The members of the programme committee and the other referees have invested a large amount of work in the reviewing. The authors of submitted papers, the programme committee and the other referees deserve my sincere thanks.

The conference includes presentation of invited and selected papers, a panel, tutorials, workshops, demonstrations and an exhibition. In addition, the 25th anniversary of Simula 67, the first object-oriented language, will be celebrated. I would like to thank Mehmet Akşit, Pierre America, Gert Florijn, Paul Hendriks and Chris Laffra for the great job they have done in organizing this conference. I would also like to thank the participants for their contributions. Further thanks are due to the sponsoring organizations; and to Susanne Brøndberg, who was a great help in organizing the programme committee work. The success of ECOOP'92 is due to all these people and organizations.

May 1992

Ole Lehrmann Madsen ECOOP'92 Programme Chair

## Organization

Conference Chair:	Pierre America (The Netherlands)
Programme Chair:	Ole Lehrmann Madsen (Denmark)
Organizing Chair:	Gert Florijn (The Netherlands)
Tutorials:	Mehmet Akşit (The Netherlands)
Exhibition:	Paul Hendriks (The Netherlands)
Demonstrations:	Chris Laffra (The Netherlands)

## Sponsor

Software Engineering Research Centre - SERC, the Netherlands

## **Co-sponsoring Organizations**

BCS (British Computer Society) Datex DND (Norwegian Computer Society) Electric Engineering Georg Heeg Smalltalk-80-Systems Getronics Network Services Getronics Service IBM

## Programme Committee

Ole Lehrmann Madsen Alan Borning Jean-Pierre Briot Pierre Cointe Elspeth Cusack Nigel Derrett Klaus Dittrich Roger Duke Eric Juul Boris Magnusson Bertrand Meyer Ron Morrison Oscar Nierstrasz Walter Olthoff Barbara Pernici Jean-François Perrot Anna-Kristin Pröfrock Trygve Reenskaug Markku Sakkinen Dave Thomas Mario Tokoro Enn Tyugu Rebecca Wirfs-Brock Akinori Yonezawa Ed Yourdon

ICG

Koning en Hartman NGI (Dutch Computer Society) Object Management Group OCG (Austrian Computer Society) Philips SI (Swiss Computer Society) Sun Microsystems

Aarhus University, Denmark University of Washington, USA Université Pierre et Marie Curie, France Université Pierre et Marie Curie, France British Telecom, U.K. Hewlett-Packard Laboratories, U.K. Universität Zurich, Switzerland University of Queensland, Australia Københavns Universitet, Denmark Lund University, Sweden Interactive Software Engineering, USA University of St. Andrews, U.K. Université de Genève, Switzerland German Research Center for AI, Germany Universitá di Udine, Italy Université Pierre et Marie Curie, France Siemens Nixdorf, Germany Taskon A/S, Norway University of Jyväskylä, Finland Object Technology International, Canada Sony CSL, Japan Institute of Cybernetics, Estonia Instantiations, USA University of Tokyo, Japan American Programmer, USA

## List of Referees

Jay Almarode Birger Andersen Patrick Arnold Cecily Bailes Brian Barry **Barbara Beaudoing** Jean Bell Dag Belsnes Mats Bengtsson Stephanie Bodoff Isabelle Borne Malik Bouabsa Marc-Michael Brandis Alfred Brown Böhnlein Craig Chambers Bernadette Charron-Bost Robert Cole Derek Coleman Richard Connor Betsy Cordingley Andreas Creppert Michael Crowther Quintin Cutts Ole-Johan Dahl Lars-Ove Dahlin Laurent Dami Christophe Dony Denise Draper Roger Duke Nigel Edwards Oren Etzioni Ed Felten Bjorn Freeman-Benson **David Freestone** Philippe Gautron Stein Gjessing Vera Goebel Joseph Goguen Patrick Goldsack Thorsten Gorchs Matthieu Goutet

Nicolas Graube Peter Grogono Hele-Mai Haav Michel Habib Fiona Hayes Görel Hedin Andrew Herbert Alex Heung Toshio Hirotsu Ian Holland Kohei Honda Yutaka Ishikawa Kent Johnson Niels Christian Juul Paul King Graham Kirby Jørgen Lindskov Knudsen Karl-Heinz Koester Dimitri Konstantas Kai Koskimies A. Kotz Stein Krogdahl Susanna Lambertini Douglas Lea Sylvie Lemarié Loic Lescaudron Hank Levy Peter Linington Brendan Mahony Jacques Malenfant Roberto Maiocchi Mihail Matskin Satoshi Matsuoka Arne Maus Mike Milinkovich Tatsuo Minohara Gerhard Mueller David Munro Birger Møller-Pedersen Jean-Marc Nerson Thai Nguyen Peter Nickolas

Else Nordhagen David Notkin John O'Connell Tim O'Connor Maria Orlowska Olaf Owe François Pachet Jens Palsberg Michael Papathomas Jaan Penjam Seppo Puuronen Timothy Regan Didier Rémy Barbara Bieche Renaud Rioboo Gordon Rose Steve Rudkin Heikki Saikkonen Hayssam Saleh Anne Salvesen Michael Schwartzbach Graeme Smith Akikazu Takeuchi Magnus Taube François-Xavier Testard-Vaillant Dave Thomson Claudio Trotta Mark Utting Tarmo Uustalu Juha Vihavainen Benjamin Volosh Shigeru Watari Andrew Watson Phillip Williams Shirley Williams Alan Wills Jeremy Wilson Michael Wilson Francis Wolinski Phillip M. Yelland Yauhiko Yokote

# BIBLIOTHEQUE DU CERIST

## Contents

On Unifying Relational and Object-Oriented Database Systems 1 Invited paper, Won Kim (UniSQL, Austin Texas)
Import Is not Inheritance - Why We Need Both: Modules and Classes 19 Clemens A. Szyperski (ETH Zürich)
Object-Oriented Multi-Methods in Cecil
Aggregation in a Behaviour Oriented Object Model
Reasoning and Refinement in Object-Oriented Specification Languages
Combining Object-Oriented and Logic Paradigms: A Modal Logic Programming Approach
An Incremental Class Reorganization Approach
System Design by Composing Structures of Interacting Objects
Unifying the Design and Implementation of User Interfaces Through the Object Paradigm
Nesting Actions Through Asynchronous Message Passing: The ACS Protocol . 170 Rachid Guerraoui, Riccardo Capobianchi, Agnes Lanusse, Pierre Roux (CE Saclay DEIN/SIR, Gif sur Yvette)
Inheritance of Synchronization Constraints in Concurrent Object-Oriented Programming Languages
EPEE: an Eiffel Environment to Program Distributed Memory Parallel Computers

~

Using Object-Oriented Programming Techniques for Implementing ISDN Supplementary Services
An Object Model for Engineering Design
An Object-Oriented Class Library for Scalable Parallel Heuristic Search 252 Wing-cheong Lau (University of Texas, Austin), Vineet Singh (Hewlett-Packard Labs, Palo Alto)
Integrating Constraints with an Object-Oriented Language
Specifying Reusable Components Using Contracts
ACTS: A Type System for Object-Oriented Programming Based on Abstract and Concrete Classes
Making Type Inference Practical
A Reflective Model of Inheritance
An Object-Oriented Language-Database Integration Model: The Composition-Filters Approach
Supporting Physical Independence in an Object Database Server
Developing a Class Hierarchy for Object-Oriented Transaction Processing 413

This article was processed using the ETEX macro package with LLNCS style

Daniel L. McCue (University of Newcastle upon Tyne)

# On Unifying Relational and Object–Oriented Database Systems

## Won Kim

UniSQL, Inc. 9390 Research Blvd. Austin, Texas 78759

Abstract. The past several years have been the gestation period for a new generation of database technology. There has been a flurry of activities to develop and experiment with database systems that support an object-oriented data model or that extend the relational data model with some object-oriented facilities. These activities have been fueled by the emergence of a broad spectrum of database applications which relational database systems cannot support and the increasing need to achieve another productivity leap in application development. As a result of these efforts, there is now a sufficient body of knowledge for the development of a commercially viable next-generation database system. Such a system should support a unified relational and object-oriented data model; that is, a full object-oriented data model in a way that is completely compatible with the relational model. This article examines motivations for unifying the relational and object-oriented data models in a single database system, and outlines design and implementation issues that must be addressed in building such a system.

## 1 Introduction

During the 1980s, relational database systems [11, 12, 13, 33] dominated the database market for business data processing applications. The relational database language SQL [3] became an industry standard. The theory, implementation, and use of database systems became a major discipline of computer science. The simplicity of the relational model of data and the dynamic management of a database have been accepted as vehicles for significant productivity enhancement in application development.

However, even as the acceptance of relational database systems spread, their limitations were exposed by the emergence of various classes of new applications. These applications include multimedia systems, statistical and scientific modeling and analysis systems, geographic information systems, engineering and design systems, knowledge-based systems, and so on. The limitations of relational database systems that these applications exposed fall into two categories: data model and computational model. The data-modeling facilities that relational systems lack include those for specifying, querying and updating

complex nested entities (such as design and engineering objects, and compound documents); arbitrary user-defined data types; frequently useful relationships, such as generalization and aggregation relationships; temporal evolution of data (i.e., temporal dimension of data, and versioning of data); and so on. The computation-modeling facilities that relational systems lack include the management of memory-resident objects for extensive pointer-chasing applications (e.g., simulation of a computer-aided design); long-duration, cooperative transactions; and so on.

The need to reduce the cost of developing and operating these applications pointed to the need for a fundamental advancement in database technology, that is, a paradigm shift, rather than incremental extensions of the capabilities of existing data management systems. The basis of this fundamental advancement in database technology is the object-oriented paradigm developed in object-oriented programming languages. There are two major reasons the object-oriented paradigm is a sound basis for a new generation of database technology.

One is that the object-oriented paradigm [16, 29, 32] can be the basis for a data model which subsumes the relational (and pre-relational) data models. Solutions to most of the data-modeling-related difficulties of relational database systems are inherent in an object-oriented data model. Relational systems are designed to manage only limited types of data, such as integer, floating-point number, string, Boolean, date, time, and money. In other words, they are not designed to manage arbitrary user-defined data types. On the other hand, a central tenet of an object-oriented data model is the uniform treatment of arbitrary data types and the facility to add new data types. Further, an object-oriented data model allows the representation of not only data, and relationships and constraints on the data, as the relational data model does; but also the encapsulation of data and programs that operate on the data, and provides a uniform framework for the treatment of arbitrary user-defined data types.

Another reason is that the object-oriented paradigm, through the notions of encapsulation and inheritance (rcuse), is fundamentally designed to reduce the difficulty of developing and evolving complex software systems or designs. This is precisely the goal that has driven the data management technology from file systems to relational database systems during the past three decades. An object-oriented data model thus inherently satisfies the objective of reducing the difficulty of design and evolving very large and complex databases. The notions of encapsulation and inheritance are a key to the search for further productivity enhancement in database application development.

The promises of a database technology based on an object-oriented data model are clear. These promises fueled, during the past several years, a rush to develop a first wave of object-oriented database systems [30, 2, 8, 15, 14, 20]. About a half dozen systems are currently commercially available; some are persistent storage systems for C++ applications, some provide low-level support for engineering and design applications; and some offer a relatively richer set of database features [25].

If the object-oriented technology can truly deliver the fundamental advance in database technology to the overall database market, that is, transition the database technology past the

current relational technology, it needs to be unified with the relational technology. The relational paradigm should be extended with a set of fundamental object-oriented concepts found in most object-oriented programming languages and application systems. The database language that embodies the united modeling paradigm should be a minimal extension to the SQL relational database language. The database language should then be embedded in a wide variety of host programming lanugages to bring object-oriented modeling facilities to programmers of these languages.

SQL-compatibility is a key to the adoption of new database systems that incorporate object-oriented modeling facilities. It will minimize the time necessary for the current relational users to learn the new technology, and facilitate the migration of relational applications to the new systems. However, SQL-compatibility will not solve the mismatch that has existed until now between a database language and the host programming language in which the database language is embedded. Ideally, database application programmers should use a single database programming language for both general-purpose programming and database management. Once object-oriented programming languages become solidly established as database application programming languages, database systems that "seamlessly" support the languages will certainly be useful.

Some vendors currently offer unified database programming languages by augmenting object-oriented programming languages, notably, C++ and Smalltalk, with persistent storage, transaction management, and limited query facilities. However, important challenges remain. Persistent storage and database management facilities (especially the query facilities) must be provided without introducing obtrusive syntax or semantics that is different from that of the programming language being augmented. Database management facilities and persistent storage should be provided to objects of all data types allowed in the programming language. Further, database management facilities should be provided to not only persistent objects, but also nonpersistent objects. Finally, the extensions to one programming languages. It is important to note that, regardless of whether the database language is an extension of SQL or some object-oriented programming language, most of the considerations outlined in this paper remain valid. Ultimately, a database system must address the impact of object-oriented modeling concepts on the database architecture.

A formidable array of technical challenges must be overcome before a next-generation database system can be built that incorporates object-oriented modeling concepts into relational database systems. The purpose of this paper is to outline these challenges and how they may be met. First, the relational and object-oriented data models must be combined into a single coherent unified model. Second, a database language must be designed to allow the specification of data and relationships among them, and the querying and updating of the data. Third, the database system must be built to fully support all the facilities the database language allows. Fourth, the system must deliver high performance; in particular, it must deliver performance comparable to relational database systems for all operations that can be performed using relational database systems. The strength of an object-oriented data model is also its weakness; the richness of an object-oriented data model that makes it possible to model complex objects and their relationships in nonbusiness data-processing applications necessarily introduces added complexities with which the users must cope. The richness of an object-oriented data model also implies added difficulties in implementing an object-oriented database system. The designers of the unified database language and database system must carefully revisit the philosophy and design rationale behind relational database systems, and address a host of technical problems in database architecture.

### 2 Design Issues

A database system is in essence a software that implements all the functions supported in a database language. A database language in turn is an embodiment of a data model. For example, the relational database language SQL stipulates how the users of a database system should create tables; specify data types and integrity constraints on the tables and columns within tables; populate the tables with rows; query, update, and delete the contents of the database; and so forth. A data model is thus the foundation of any database system.

Further, a database language consists of three sublanguages: data-definition, query and data manipulation, and data control language. A data-definition language allows the definition of a database. A query and data manipulation language allows the database to be populated, and the database contents to be queried, updated, and deleted. A data control language allows the specification of database sharing and administration.

In this section, I will show first that a unified relational and object-oriented data model is in essence an object-oriented data model obtained by extending the relational model with key concepts found in object-oriented programming. Next, I will outline in terms of the three database languages architectural issues in building a unified database system.

## 2.1 Data Model

The primary advantage of the relational model of data is its simplicity; however, simplicity is also a major disadvantage of the relational model. A relational database consists of a set of relations (tables), and a relation in turn consists of rows and columns. An entry in a table may have a single value, and the value may belong to a set of system—defined data types (e.g., integer, string, float, date, time, money). The user may impose further restrictions, called integrity constraints, on these values (e.g., the integer value of an employee age may be restricted to between 18 and 65).

This simple data model is really a subset of an object-oriented data model; that is, the relational model can be generalized to arrive at an object-oriented data model. First, let us regard a table as a data type, and allow each entry of a table to be a single value belonging to any arbitrary user-defined table, rather than just the system-defined data types. The first CREATE TABLE statement in Figure 1 shows the specification of an Employee table under the relational model. The values of the Hobby and WorksFor columns are restricted to character strings. The second CREATE TABLE in Figure 1 reflects data-type generalization for the columns of a table. The value for the Hobby column no longer needs to be restricted to a character string; it may now be a row of a user-defined table Activity.