

Thèse

présentée à

L'Université Pierre & Marie Curie – Paris VI

en vue de l'obtention du titre de

Docteur de l'Université Paris VI

Spécialité :

Systemes Informatiques

par

ALINE BAGGIO

Sujet de la thèse :

**Objets Distribués Adaptables
pour Environnements Mobiles**

Soutenue le 2 juin 1999, devant le jury composé de :

Monsieur	JEAN-BERNARD STEFANI	Président/Rapporteur
Monsieur	MICHEL RIVEILL	Rapporteur
Messieurs	VINNY CAHILL CLAUDE GIRAULT YVON GOURHANT PIERRE PARADINAS FRANÇOIS ROUAIX MAHADEV SATYANARAYANAN MARC SHAPIRO	Examineurs

PhD Thesis

presented at the

Université Pierre & Marie Curie – Paris VI

to obtain the degree of

Docteur de l'Université Paris VI

Speciality:

Computing Systems

by

ALINE BAGGIO

Thesis subject:

**Adaptable and Mobile-Aware
Distributed Objects**

Defended on June 2nd, 1999; with a thesis committee composed by:

Monsieur	JEAN-BERNARD STEFANI	President/Rapporteur
Monsieur	MICHEL RIVEILL	Rapporteur
Messieurs	VINNY CAHILL CLAUDE GIRAULT YVON GOURHANT PIERRE PARADINAS FRANÇOIS ROUAIX MAHADEV SATYANARAYANAN MARC SHAPIRO	Examiners

À Jean-François

*Those who dream by day are
cognizant of many things which
escape those who dream only by
night.*

Edgar Allan Poe

Remerciements

Je remercie cordialement Claude Girault, Professeur à l'Université Pierre et Marie Curie, de m'avoir admis en tant que doctorant, et pour avoir accepté d'être membre du jury de ma thèse. Depuis mon DEA jusqu'à mon Doctorat, il m'a toujours fait part de conseils avisés.

Je remercie Jean-Bernard Stefani, responsable du Département Système à France Télécom/CNET, pour l'intérêt qu'il a porté à mon travail en acceptant d'être à la fois rapporteur et président du jury de cette thèse.

Je remercie également Michel Riveill, Professeur à l'Université de Savoie, pour l'intérêt qu'il a porté à mon travail en étant rapporteur de cette thèse.

Merci à Vinny Cahill du Trinity College Dublin, Yvon Gourhant de France Télécom/CNET, Pierre Paradinas de Gemplus, et François Rouaix de Liquid Market/INRIA, d'avoir accepté avec plaisir d'être membres du jury de cette thèse.

Je remercie tout particulièrement Mahadev Satyanarayanan, Professeur à Carnegie Mellon University, pour avoir accepté d'être membre du jury de cette thèse, et pour m'avoir donné l'opportunité de travailler dans son équipe durant un été entier.

Je souhaite remercier Marc Shapiro, encadrant de cette thèse et responsable du Projet SOR à l'INRIA. Il m'a accepté en tant que doctorant, et même pire, en tant que fanatique de l'informatique mobile, au sein de son projet. Ses commentaires et critiques m'ont permis d'améliorer mon travail. Qu'il en soit remercié.

Je tiens tout spécialement à remercier certains membres du Projet SOR. Fabrice Le Fessant m'a fourni l'expertise nécessaire sur le langage oCaml et sur la mise en œuvre de la machine virtuelle JoCaml. Xavier Blondel s'est montré très actif et a fourni une aide considérable. Il a participé à la création de ce manuscrit par ses multiples relectures, commentaires et critiques constructives. Bertil Folliot a contribué grâce à de profitables recommandations. Merci à Brigitte Larue qui a eu soin de mille aspects administratifs. Mesaac Makpangou doit lui aussi être tout particulièrement remercié. Ces précieux conseils et son aide m'ont permis d'améliorer la description de mon travail. Il s'est montré irremplaçable lors des dernières étapes de cette thèse. Guillaume Pierre, le plus bavard des membres du Projet SOR, a contribué à fournir un cadre de travail très agréable. Qu'il en soit remercié. Ian Piumarta m'a fourni l'indispensable expertise, à la fois sur les SSP Chains, et sur la langue anglaise.

Je suis reconnaissante à tous les membres passés et présents du Projet SOR, qui ont su fournir un environnement de travail agréable dans lequel réaliser une thèse: Pierre Albertin, Marc Badel, Carine Baillarguet, Xavier Blondel, Vincent Bouthors, Georges Brun-Cottan, Olivier Dedieu, Patrick Duval, Neilze Dorta, Paulo Ferreira, Bertil Folliot, Yann Hervé, Christian Khoury, Sytse Kloosterman, Brigitte Larue, Fabrice Le Fessant, Julien Maisonneuve, Mesaac Makpangou, Nelly Maloysel, Guillaume Pierre, Ian Piumarta, Fabio Riccardi, Nicolas Richer, Pierre Sens, Marc Shapiro; les stagiaires SSP Chains Etienne Cazalas, Olivier Nutte, Stefan Sallinger; et les nombreux autres stagiaires.

Je remercie l'INRIA qui s'avère être un lieu extrêmement plaisant pour mener à bien ses recherches. Les ressources disponibles sont sans commune mesure avec les autres laboratoires et autorisent les chercheurs à développer leurs projets avec liberté et efficacité.

Je remercie mes parents et ma famille pour leur soutien inconditionnel. Depuis toujours, ils ont su contribuer à me fournir un environnement exceptionnel.

La musique et l'équitation sont des écoles de persévérance, tempérance et humilité. Je suis reconnaissante à Sylvie Levacher, mon professeur de violon; Brigitte Grenadou, mon professeur d'équitation; et également Allgrey, mon cheval, pour avoir contribué à me fournir un équilibre salubre durant mes années de thèse.

Et enfin, je remercie chaleureusement Jean-François Couturas pour sa gentillesse, son soutien et sa compréhension. Il a su être présent et me soutenir tout au long de ces trois ans et demi; et tout particulièrement à la fin, partie probablement la plus intensive de toute thèse.

Aline Baggio.
Le 7 juillet 1999.
Bailly, France.

Acknowledgements

I cordially thank Claude Girault, Professor at Université Pierre et Marie Curie, for having accepted me as a PhD student and for being member of my thesis committee. From my Masters to my PhD, he has always given me helpful advice.

Many thanks to Jean-Bernard Stefani, head of the Distributed Systems Department at France Télécom/CNET, for his comments on my work, and for having accepted to be both rapporteur of this thesis and president of the thesis committee.

Many thanks also to Michel Riveill, Professor at Université de Savoie, for having accepted to be rapporteur of this thesis.

I thank Vinny Cahill from Trinity College Dublin, Yvon Gourhant from France Télécom/CNET, Pierre Paradinas from Gemplus, and François Rouaix from Liquid Market/INRIA, for their interest in my work. They all accepted gladly to be member of my thesis committee.

Mahadev Satyanarayanan, Professor at Carnegie Mellon University, deserves special thanks for both having accepted to be member of my thesis committee and given me the opportunity to enjoy research in the Coda group for a whole summer.

I would like to thank Marc Shapiro, my advisor, leader of the SOR group at INRIA. He has accepted me as a PhD student – and even worse, a mobile-computing-addict – in his group. And his review of my work allowed me to improve this manuscript. Many thanks to him.

I especially thank some members of the SOR group. Fabrice Le Fessant provided me with a valuable expertise on both the oCaml language and the implementation of the JoCaml Virtual Machine. Xavier Blondel has been very active and helpful. He gave me many comments and criticisms on various versions of this thesis manuscript. Bertil Folliot contributed with many handfull advice. Many thanks to Brigitte Larue, who took care of thousand of administrative aspects. Mesaac Makpangou deserves special thanks as well. He gave me numerous advice and helped me to improve the description of my work. He has been irreplaceable at the end of my thesis. Guillaume Pierre, the most talkative member of the SOR group, contributed by providing a very pleasant environment. Many thanks to him as well. Ian Piumarta has been of considerable value considering our discussions on preliminary versions of this work on SSP Chains and his expertise on the English language.

I am grateful to all past and present members of the SOR group who provided a nice environment where to complete a PhD thesis: Pierre Albertin, Marc Badel, Carine Baillarguet, Xavier Blondel, Vincent Bouthors, Georges Brun-Cottan, Olivier Dedieu, Patrick Duval, Neilze Dorta, Paulo Ferreira, Bertil Folliot, Yann Hervé, Christian Khoury, Sytse Kloosterman, Brigitte Larue, Fabrice Le Fessant, Julien Maisonneuve, Mesaac Makpangou, Nelly Maloisel, Guillaume Pierre, Ian Piumarta, Fabio Riccardi, Nicolas Richer, Pierre Sens, Marc Shapiro; the SSP Chain stagiaires Etienne Cazalas, Olivier Nutte, Stefan Sallinger; and the other numerous stagiaires.

I am thankful to INRIA which is a very pleasant place for doing research. The resources available allowed me to develop my research with freedom and efficiency.

Many thanks to my family and relatives for their unconditional support. From the beginning, they contributed to provide me with an exceptional environment.

Both music and equitation are schools of perseverance, temperance and humbleness. I am thankful to Sylvie Levacher, my violin professor; Brigitte Grenadou, my equestrian professor; and also Allgrey, my horse, for having contributed to provide me with a valuable equilibrium during my PhD years.

And finally, I warmly thank Jean-François Couturas for his kindness, help and understanding. He has been present and able to support me all along these three years and a half; and especially at the end which is probably the most intensive part of a PhD thesis. He will know how to decode the sense of these last words.

Aline Baggio.
July 7th, 1999.
Bailly, France.

Avant-propos

Cette thèse est le résultat d'un effort de recherche effectué à l'INRIA, au sein du Projet SOR (Systèmes d'Objets Répartis). Elle a été réalisée en tant qu'étudiant de l'Université Pierre et Marie Curie – Paris VI.

Cette thèse comporte deux parties : la première est un résumé long en français, la seconde est la version complète de la thèse en anglais.

Quelques aspects de cette thèse sont présentés dans les articles suivants, disponibles sur le World-Wide Web, à l'URL <http://www-sor.inria.fr/~aline/>, (Aline.Baggio@inria.fr).

Aline Baggio. Design and Early Implementation of the Cadmium Mobile and Disconnectable Middleware Support, INRIA Research Report 3515, October 1998.

Aline Baggio. Cadmium: Resource-Aware System Support for Mobile Environments, one-page abstract and poster, *Middleware'98 conference*, The Lake District, England, September 15th-18th, 1998.

Aline Baggio. Replication and Caching Strategies in Cadmium INRIA Research Report 3409, April 1998.

Aline Baggio. System Support for Transparency and Network-aware Adaptation in Mobile Environments, *ACM Symposium on Applied Computing special track on Mobile Computing Systems and Applications*, Atlanta, Georgia, USA, February 27th-March 1st 1998. Also INRIA Research Report 3409, April 1998.

Aline Baggio and Marc Shapiro. Reconciling Transparency with Resource Awareness in Nomadic Computing, *4th CaberNet Radicals Workshop*, Rethimnon, Crete, September 17th-20th, 1997.

Aline Baggio and Guillaume Pierre. Oléron: Supporting Information Sharing in Large-Scale Mobile Environments, *ERSADS'97 Workshop*, Zinal, Switzerland, March 17th-21st, 1997.

Mobile Host Tracking and Resource Discovery, Aline Baggio and Ian Piumarta. *Seventh SIGOPS European Workshop*, Connemara, "Systems Support for Worldwide Applications", Ireland, September 8th-11th, 1996.

Aline Baggio. Environnements Mobiles: Étude et Synthèse Bibliographique (Mobile Environments: State of the Art), IBP Report 95/29, MASI Laboratory, Université Pierre et Marie Curie, October 1995, in French.

BIBLIOTHEQUE DU CERIST

Foreword

This thesis is the result of a research effort done at INRIA, in the SOR (Distributed Object Systems) group, while I was a student of the Université Pierre et Marie Curie – Paris VI.

This thesis is divided in two parts: the first is an extended abstract in French, the second is the thesis itself in English.

Some results presented in this thesis appeared in the following articles, which are available on the World-Wide Web, at the URL <http://www-sor.inria.fr/~aline/>, (Aline.Baggio@inria.fr).

Aline Baggio. Design and Early Implementation of the Cadmium Mobile and Disconnectable Middleware Support, INRIA Research Report 3515, October 1998.

Aline Baggio. Cadmium: Resource-Aware System Support for Mobile Environments, one-page abstract and poster, *Middleware'98 conference*, The Lake District, England, September 15th-18th, 1998.

Aline Baggio. Replication and Caching Strategies in Cadmium INRIA Research Report 3409, April 1998.

Aline Baggio. System Support for Transparency and Network-aware Adaptation in Mobile Environments, *ACM Symposium on Applied Computing special track on Mobile Computing Systems and Applications*, Atlanta, Georgia, USA, February 27th-March 1st 1998. Also INRIA Research Report 3409, April 1998.

Aline Baggio and Marc Shapiro. Reconciling Transparency with Resource Awareness in Nomadic Computing, *4th CaberNet Radicals Workshop*, Rethimon, Crete, September 17th-20th, 1997.

Aline Baggio and Guillaume Pierre. Oléron: Supporting Information Sharing in Large-Scale Mobile Environments, *ERSADS'97 Workshop*, Zinal, Switzerland, March 17th-21st, 1997.

Mobile Host Tracking and Resource Discovery, Aline Baggio and Ian Piumarta. *Seventh SIGOPS European Workshop*, Connemara, "Systems Support for Worldwide Applications", Ireland, September 8th-11th, 1996.

Aline Baggio. Environnements Mobiles: Étude et Synthèse Bibliographique (Mobile Environments: State of the Art), IBP Report 95/29, MASI Laboratory, Université Pierre et Marie Curie, October 1995, in French.

BIBLIOTHEQUE DU CERIST

Contents

Objets Distribués Adaptables pour Environnements Mo- biles (résumé/abstract)	1
I Introduction	3
II Qu'est-ce que l'informatique mobile?	5
III Le support de la mobilité et de l'adaptabilité	7
IV Le support de la réplication et de la cohérence	9
V Le support des objets et des références	11
VI Le modèle de Cadmium	13
VII Architecture	15
VIII Gestion des objets et des références	17
IX Support de l'adaptation	19
X Interaction avec les applications et les utilisateurs	21
XI Applications de Cadmium	23
XII Évaluation	25
XIII Conclusion et perspectives	27
 Adaptable and Mobile-Aware Distributed Objects	 29
 1 A BRIEF INTRODUCTION TO MOBILE COMPUTING	 31
I Introduction	33
1 Goals and needs	33
2 Steps towards a solution	34
2.1 Context	35
2.2 Approach	35

2.3	Cadmium	36
2.4	Use and applications	37
3	Contribution	37
4	Thesis roadmap	38
II	What is mobile computing?	39
1	Mobile computing: a definition	39
2	Techniques and applications	40
3	Problems of mobile environments	41
2	UNDERSTANDING THE PROBLEM: STATE OF THE ART	43
III	Support for mobility and adaptation	45
1	Network-level mobility support	45
1.1	Internet Protocol version 6	45
1.2	Amigos	47
1.3	MosquitoNet	48
2	The need for flexibility and adaptation	50
2.1	Operating system approach: Odyssey	51
2.2	Reflective approach: Guaraná	53
2.2.1	Reflection	53
2.2.2	Guaraná	53
3	Summary and comparison	54
IV	Support for replication and consistency	57
1	Mobile file systems	57
1.1	Coda	57
1.2	Seer	61
1.3	Amigos	62
2	Mobile database: Bayou	64
3	Distributed object systems	66
3.1	CoRe	66
3.2	Globe	68
4	Summary and comparison	71
V	System support for objects and references	73
1	Language extensions	73
1.1	Network Objects	73
1.2	Java RMI and Jini	75
2	Middleware frameworks	76
2.1	Rover	76
2.2	Hobbes	78
3	Summary and comparison	80

3	STEPS TOWARDS A SOLUTION: DESIGN & IMPLEMENTATION	83
VI	The Cadmium model	85
1	Awareness model	85
2	Interaction model	87
3	Multiplexing: support stations and mobile hosts	88
4	Distribution model	89
5	Network model	90
6	Replication model	91
7	Consistency model	92
8	Object model	93
8.1	Objects	93
8.2	References	94
8.3	Binding and flexible binding	95
9	Summary	97
VII	Architectural design	99
1	Design overview	99
2	Implementation	100
2.1	Prototyping	100
2.2	Language considerations	101
3	Summary	103
VIII	Managing objects and references	105
1	Objects	105
2	Basics on referencing objects	106
2.1	Stub-Scion Pair Chains	106
2.1.1	Stubs and scions	107
2.1.2	Stub-Scion Pair Chains management	107
2.1.3	References, marshaling and unmarshaling	109
2.2	The JoCaml SSP Chains specificities	109
2.3	Cadmium JoCaml SSP Chains	111
3	Low-level replication	111
3.1	Using replication	112
3.2	Enabling replication	113
3.3	Managing the cache	115
3.3.1	External parameters	116
3.3.2	Storage	116
3.3.3	Replacement	116
3.3.4	Consistency	118
3.3.5	Additional algorithms	118
3.3.6	Cache organization	119
3.4	Implementation hints	119
4	Flexible binding	119
4.1	Flexible reference redirection	120
4.1.1	Use of flexible reference redirection	120

4.1.2	Enabling flexible binding through virtual multiplexing	120
4.1.3	Replica selection and use	121
4.1.4	Impact of redirections	123
4.2	Quality of service-based flexible binding	124
4.2.1	Use of the quality of service-based flexible binding	124
4.2.2	Quality of service-based flexible binding as an applicative need	125
4.2.3	Problems related to quality of service-based flexible binding	126
5	Multiplexing	126
5.1	Host level multiplexer uses	126
5.2	Enabling host level multiplexing	127
5.3	Disconnection and reconnection scenarios	128
6	Clustering in Cadmium	128
6.1	Type of clustering	129
6.2	Enabling clustering	130
7	Managing correctness	130
8	Summary	131
IX	Enabling adaptation	133
1	Adaptation and flexibility through strategies	133
1.1	What is a strategy?	133
1.2	Managing strategy collections	135
1.3	Using strategies	137
2	Basic strategy collections	139
2.1	Binding	139
2.2	Replication	141
2.2.1	No cache	141
2.2.2	Persistent caching	141
2.2.3	On-demand caching	142
2.2.4	Prefetching	143
2.2.5	Mirroring	143
2.2.6	On-the-fly replication	144
2.2.7	Transparent mirroring	145
2.3	Access control	145
2.4	Replication control	145
2.5	Consistency	146
2.6	Conflict detection	147
2.7	Conflict resolution	148
3	Additional strategies	148
3.1	Filtering	149
3.2	Compression	149
3.3	Encryption	150
4	Tracking environment changes	150
4.1	Environment monitoring	150
4.2	Subscription and notification generation	150

4.3	Example uses	152
4.3.1	Bandwidth variation and availability	152
4.3.2	Location or distance	152
4.3.3	Latency	154
4.3.4	Connection state or network quality	154
4.3.5	External equipment or hosts	154
4.3.6	Soft events	154
5	Summary	155
X	Interacting with applications and users	157
1	Application level	157
1.1	Using the Cadmium API	157
1.2	Use of ad-hoc strategies	157
1.2.1	Defining a strategy alternative	158
1.2.2	Adding a strategy collection	159
1.3	Getting feedback and using it	162
2	User level	163
2.1	Feedback and hints	163
2.2	Profiles	164
2.3	The actual user interface	165
3	Controlling adaptivity	165
3.1	Aspects of control	165
3.2	User control	166
3.3	Trace-based simulation and replay	166
3.4	Using reflection	167
4	Summary	167
4	STEPS TOWARDS VALIDATION: EXPERIMENTATION & USE	169
XI	Cadmium applications	171
1	Use of Cadmium mechanisms	171
1.1	Creating a new application	171
1.2	Using an existing application	172
2	Application examples	172
2.1	The Cadmium demonstration	172
2.2	A calendar application	172
2.3	A World-Wide Web proxy	173
2.4	A World-Wide Web browser	174
2.5	A mailbox application	175
2.6	Collaborative applications	176
2.7	Real-time movie broadcaster	176
3	Implementing an application	177
3.1	The Cadmium demonstration	177
3.2	The calendar application	178
4	Summary	178

XII	Evaluation	181
1	Qualitative evaluation	181
1.1	Reuse of Cadmium mechanisms	181
1.2	Evaluation of the object-oriented approach	183
1.3	Flexibility considerations	184
2	Performance measurements	184
2.1	Experimental conditions	184
2.2	Low-level performance measurements	185
2.2.1	Communication costs	185
2.2.2	Other costs	185
2.3	Middleware level measurements	188
3	Summary	189
XIII	Conclusion and future work	191
1	Mobility issues and solutions	191
1.1	Application and user needs	191
1.2	The Cadmium framework	192
1.3	Cadmium’s rationale	193
2	Achievements	194
3	Future work	194
3.1	Framework tuning	194
3.2	Optimization	195
3.3	Extensions	195
3.3.1	Language	195
3.3.2	Replication	196
3.3.3	Control	196
4	Final word	197
A	Details on JoCaml SSP Chains	199
1	JoCaml SSP Chains specificities	199
1.1	Stub and scion structures	199
1.2	Short-cutting features	200
1.3	Automatic stub and scion generation	202
1.4	Object migration	202
1.5	Messages	204
1.6	Name service	204
1.7	Garbage collection	204
2	JoCaml SSP Chains interface	204
B	Details on Cadmium JoCaml SSP Chains	205
1	System-level hooks	205
1.1	Hooks for replication	205
1.2	Hooks for flexible binding	206
1.2.1	Hooks for flexible reference redirection	206
1.2.2	Hooks for quality of service-based flexible binding	207
1.3	Hooks for multiplexing	208
1.4	Hooks for strategies	208

1.5	Hooks for clustering	210
2	Low-level replication primitives	210
3	Flexible binding primitives	211
3.1	Flexible reference redirection primitives	212
3.2	Quality of service-based flexible binding primitives	212
4	Clustering primitives	212
C	Other implementation details	215
1	Cadmium API	215
2	Cadmium internal interface	215
3	Monitoring	215
4	Huffman compression	215
D	Raw performance measurements	223
1	Low-level performance measurements	223
1.1	Communication costs	223
1.2	Other costs	226

BIBLIOTHEQUE DU CERIST

List of Figures

VII.1	Architecture de Cadmium	15
VIII.1	Une Stub-Scion Pair Chain	17
III.1	Triangular routing	48
III.2	Bi-directional tunneling	49
III.3	Odyssey architecture	52
IV.1	Venus state transitions	60
IV.2	CoRe levels and objects	67
IV.3	A distributed object in Globe	68
IV.4	Organization of the Globe subobjects	69
V.1	Hobbes object model	79
VI.1	Taxonomy of adaptation strategies	86
VI.2	Support station model	89
VI.3	Influence of consistency on availability of data	93
VI.4	The redirection of flexible references	95
VII.1	Cadmium design overview	99
VIII.1	A Stub-Scion Pair Chain	106
VIII.2	SSP Chain extension	108
VIII.3	SSP Chain short-cutting	109
VIII.4	Hierarchy of caches with mobile hosts	114
VIII.5	Cooperation of caches with mobile hosts	114
VIII.6	Message exchanges between cache, server and client spaces	115
VIII.7	Binding redirection towards local replicas	122
VIII.8	How to use the redirection	123
VIII.9	Potential redirection problem	124
VIII.10	Host level multiplexing	127
VIII.11	A Cadmium cluster	129
IX.1	The root class for strategies	135
IX.2	An example type for the replication control strategy collection	135
IX.3	The base class for the replication control strategy collection	136
IX.4	A class example for the replication control strategy collection	136
IX.5	Internal structure of a Cadmium object	139

IX.6	Class used for creating monitoring objects	153
X.1	Cadmium external API	158
X.2	The generic replication strategy type and class	159
X.3	Basic replication strategy class with a replication strategy function	160
X.4	A new replication strategy type and function	161
X.5	Example of a compression strategy	162
X.6	Extension of the root class for the compression strategy . . .	162
X.7	A notification registration example	163
X.8	Example of notification treatment	163
X.9	A profile example	165
XII.1	oCaml 2.02 local RPC	186
XII.2	Local method call	186
XII.3	Remote method call	187
XII.4	JoCaml remote method call (different hosts)	187
XII.5	Cadmium remote method call (different hosts)	188
XII.6	Average copy and transfer times	189
XIII.1	Cadmium's rationale	193
A.1	Stub structure in JoCaml SSP Chains	200
A.2	Scion structure in JoCaml SSP Chains	201
A.3	JoCaml early short-cutting protocol	202
A.4	Short-cutting effect on JoCaml stubs and scions	203
A.5	JoCaml SSP Chains interface	204
B.1	The stub structure and contents	207
B.2	Alternate stub targets	207
B.3	The binding type	208
B.4	The root class for objects	209
B.5	Cadmium replication API	210
B.6	Partial Cadmium internal replication interface	211
C.1	Cadmium internal interface	216
C.2	Cadmium class for monitoring	217
C.3	Cadmium class for monitoring (end) and its evaluation	218
C.4	Input/output	219
C.5	Prioritized queues	219
C.6	Huffman compression	220
C.7	Command line interface for files	221
D.1	oCaml 2.02 local RPC	224
D.2	Local method call	224
D.3	Remote method call	225
D.4	Cadmium remote method call (different hosts)	225
D.5	JoCaml remote method call (different hosts)	226

List of Tables

XII.1	Coût de la réplication	25
XII.1	Strategy switches	189
XII.2	Replication cost	190
D.1	Null method call round-trip time	226
D.2	Null method call round-trip time in seconds (Lachesis, Blake)	227
D.3	Time spent in copying objects	227
D.4	Time spent in object transfers	227